



Device adapter MCCB, 3-pole, 250 A Busbar center-to-center spacing 60 mm for 3VA12/20/21/22/52/61/62 241 mm x 105 mm Contacting to the adapter is supplied as well

Model	
product brand name	SETRON
product designation	Device adapter
design of the product	Accessories
Connections	
type of electrical connection	Tubular contacts
Mechanical Design	
height	240 mm
width of the adapter	105 mm
depth	35 mm
thickness of the busbar	
• minimum	5 mm
busbar center-to-center spacing	60 mm
Net Weight	1.223 kg
Approvals Certificates	
General Product Approval	Test Certificates



EG-Konf.



UR




UL



[Miscellaneous](#)

Maritime application	other	Environment
	Miscellaneous	Confirmation
		
		Environmental Con- firmations
		Environmental Con- firmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1213-4AP03
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/8US1213-4AP03
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1213-4AP03
CAX-Online-Generator



last modified:

4/11/2025

