

# Master Lock®

## SAFETY SOLUTIONS™



## Safety Lockout Products


A Number of Master Lock Safety Padlocks Have Achieved **UL Environment Validation** for Recycled Content



Safety Tags



Lockout Isolation I.D. Tags









Safety Signs











# Table of Contents



## Padlocks, Identification, & Accessories

	Zenex™ Safety Padlocks . . . . .	P4
	Keyed Alike Sets . . . . .	P7
	Aluminum Safety Padlocks . . . . .	P8
	Steel Safety Padlocks . . . . .	P11
	Padlock Identification . . . . .	P12
	Padlock Accessories . . . . .	P13







## Lockout Devices & Covers

	Hasps . . . . .	P15
	Electrical Lockouts . . . . .	P16
	Electrical Covers . . . . .	P18
	Valve Lockouts . . . . .	P20
	Group & Multi-Point Lockouts . . . . .	P22
	Pneumatic & Wheel Lockouts . . . . .	P23
	Blind Flange Lockouts . . . . .	P24




## Lockout Devices & Covers (Continued)

	Confined Space Covers . . . . .	P25
	Aviation Lockout Program . . . . .	P26

## Lockout Kits & Stations

	Lockout Kits . . . . .	P27
	Padlock Stations . . . . .	P29
	Compact Stations . . . . .	P30
	Lockout Stations . . . . .	P31
	Deluxe Tag Center . . . . .	P32
	Custom Lockout Kits & Stations . . . . .	P33

## Training, Signs & Tags

	Safety & Maintenance Tags . . . . .	P33
	Guardian Extreme™ Signs & Tags . . . . .	P35
	Tag Stations . . . . .	P51



# Lockout/Tagout & OSHA Compliance

## What is Lockout/Tagout?

In 1989, OSHA introduced Standard 29 CFR 1910.147 *The Control of Hazardous Energy* in order to establish lockout tagout compliance requirements for general industry. Lockout/Tagout is the process of controlling hazardous energy during the service and maintenance of machinery and equipment. These safety specific work procedures safeguard employees from accidental injuries or even death.

For more information on Lockout/Tagout visit [www.osha.gov](http://www.osha.gov)

## Why Lockout/Tagout?

The Control of Hazardous Energy (lockout/tagout) has been listed within OSHA's top 10 most frequently cited standards for several years. Non-compliance with this standard has resulted in thousands of worker related injuries and even deaths. Lockout/Tagout procedures are utilized to protect employees from the dangers of hazardous energy and ensure they go home safely every day.

## Master Lock Safety Solutions™ offers the products & services you need to help you stay compliant

### How to Implement a Lockout/Tagout System

The 1910.147 standard stated above establishes requirements for facilities to implement and employees to follow. In order to keep employees safe and to comply with the OSHA standard, facilities must :



- + Develop** – create a lockout/tagout program specific to the machinery in your facility, including equipment that is not capable of being locked out
- + Implement** – use lockout devices for equipment that can be locked out and tagout devices to identify who is performing maintenance
- + Train** – teach employees the lockout/tagout procedures and be sure authorized employees can perform the procedure accurately
- + Enforce** – monitor and maintain that the implemented procedures are being performed
- + Inspect** – lockout/tagout procedures as well as employees should be audited at least annually

## OSHA Requirements for Padlocks and Devices

The OSHA Lockout/Tagout standard outlines 5 requirements that all safety padlocks and devices must meet. Master Lock™ Safety Solutions padlocks and devices were designed to meet all of these requirements


Requirement	Description	Master Lock LOTO Products
Durable	Manufactured with materials that withstand usage environment	✓
Substantial	Cannot be removed unless considerable force is applied	✓
Standardized	Clearly differentiated from other devices by color, shape or size	✓
Identifiable	Indicates the authorized employee that applied the device	✓
Exclusive for Safety	Not to be used for purposes other than controlling energy	✓



## Keying: A Critical Component

### “One Employee, One Lock, One Key”

It is important that each employee at a facility has a padlock key that is unique to them. Key charting is critical to prevent duplicate keys from entering the workplace and jeopardizing your lockout/tagout program.




**Master Lock Safety Solutions™ offers the keying services and options to meet any system design**

### LifeGuard™

#### A no-charge Safety Lockout Padlock Key Charting System – critical for Safety Lockout


- Key charting is a record of all the safety padlock key codes assigned to a facility
- It is important that each authorized employee at a site has a unique padlock key that only opens that employee's safety padlock. This complies with the “one lock, one employee, one key” directive
- To help prevent duplicate keys from jeopardizing your lockout program, register your workplace with Master Lock. Once registered, Master Lock will send you an End User Identification Number for your site's Key Chart.
- When you use that I.D. number on each additional padlock order, Master Lock will use a new key code for each padlock we manufacture for you. When used properly, this free service helps ensure that each employee carries a key unique to them, eliminating unwanted key duplication in a safety lockout program
- Locate the Master Lock End User Registration form and instructions at [www.masterlocksafety.com](http://www.masterlocksafety.com), Product Support

### Keying Options to fit your facility's needs




#### Keyed Different

Each lock is opened by its own unique key which does not open any other lock in the set – complying with the “One lock, one employee, one key” mantra




#### Keyed Alike

All padlocks in the set are opened by the same key so only one key is necessary to open numerous padlocks – for employees who need many locks, they still only have one key



#### Master Keyed

A master key opens all locks within the system while each lock also has its own unique key – allows for responsible removal of improperly placed or forgotten lockouts according to your emergency notification policy



# Zenex™ Safety Padlocks

Optimal safety padlock designed exclusively for Lockout/Tagout by Safety Directors. Distinctive Zenex™ safety padlock is durable, standardized, substantial and identifiable for OSHA 1910.147 compliance. Stands up to chemicals, temperature extremes, and is UV stable.

## ZENEX™ SAFETY PADLOCK FEATURES

- ▶ Durable padlocks weigh only ounces (400 series 4 oz., S30 Series 3 oz.), making it easy to carry many
- ▶ Withstands extreme temperatures
- ▶ Excellent corrosion resistance
- ▶ UV stable
- ▶ No silicone used in padlock
- ▶ Over 40,000 unique safety key codes available. Over 1 million possible codes with optional key cylinders.
- ▶ Keyed Different, Keyed Alike and Master Keyed options
- ▶ Key retaining – ensures padlock is not accidentally left unlocked. S33 non key-retaining for group lockout
- ▶ Available in up to 9 colors
- ▶ Includes one key to ensure compliance with “One Lock, One Employee, One Key” Directive
- ▶ Includes write-on “Danger” and “Property Of” labels
- ▶ Body sides and face can be laser engraved for permanent identification
- ▶ Non-rekeyable ensures your safety lockout system stays pure by preventing haphazard rekeying and the accidental introduction of duplicate key codes
- ▶ Your facility’s padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- ▶ Virtually all components are made in the U.S.A.

4100RJ with S142 Label

410RED

410YLRW with cover (COV)

410LTGRN

**Designed by Safety Directors**

UL  
VALIDATED

• MASTER LOCK 410 SERIES: 410 AND 410LT CONTAIN A MINIMUM OF 51% RECYCLED CONTENT  
UL.COM/ECV

406RED

406BLU

406BLK with S142 Label

**Dielectric Protection**

UL  
VALIDATED

• MASTER LOCK 406 SERIES: 406 CONTAIN A MINIMUM OF 34% RECYCLED CONTENT  
UL.COM/ECV

**Multilingual Labels Available**

UL  
VALIDATED


• MASTER LOCK 411 SERIES: 411 AND 411LT CONTAIN A MINIMUM OF 42% RECYCLED CONTENT  
UL.COM/ECV

RED YLW GRN BLU BLK TEAL PRP ORJ

## 410 Zenex™ Safety Padlock

- ▶ 1/4" diameter, 1-1/2" or 3" high plated metal shackles
- ▶ High security, reserved for safety cylinder

- ▶ Key-Retaining, ensures padlock is not accidentally left unlocked
- ▶ English, Spanish, and French labels included

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
<b>410 Safety Padlocks</b>			
1-1/2" Wide, 1-3/4" High Zenex™ Body. Shackle Dimensions: A: 1/4" C" 25/32"			
410RED	Keyed Different	1-1/2"	
410LTRED	Keyed Different, Extra Length Shackle	3"	
410REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover	1-1/2"	
410KARED	Keyed Alike	1-1/2"	
410KALTRED	Keyed Alike, Extra Length Shackle	3"	
410MKRED	Master Keyed	1-1/2"	
410KAMKRED	Keyed Alike, Master Keyed		
Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ			
400COVERS	Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 13		
S140	Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language)		
S142	North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.)		




410RED

Keyed Alike Sets Available

## 406 Zenex™ Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock

- ▶ Ideal for medical, military, mining & electrical lockout
- ▶ 1/4" diameter, 1-1/2" high nylon shackle with Zenex™ composite plastic body

- ▶ All components are non-sparking and non-magnetic plastic, copper, or brass
- ▶ Exposed components are plastic and do not conduct electricity
- ▶ Shackle withstands over 300 lb pull force

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
<b>406 Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlocks</b>			
1-1/2" Wide, 1-3/4" High Zenex™ Body. Shackle Dimensions: A: 1/4" C" 25/32"			
406RED	Keyed Different, Dielectric	1-1/2"	
406REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover		
406KARED	Keyed Alike		
406MKRED	Master Keyed		
406KAMKRED	Keyed Alike, Master Keyed		
406AST	Pack – One each of all eight colors. Keyed Different		
Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ			
406COVERS	Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 13		
S140	Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language)		
S142	North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.)		




406YLW

Keyed Alike Sets Available

## 411 Zenex™ Bilingual Safety Padlock

- ▶ 3" tall body with 1/4" diameter, 1-1/2" or 3" high plated metal shackles

- ▶ High security, reserved for safety cylinder
- ▶ English/Spanish and English/French combined labels

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
<b>411 Bilingual Safety Padlocks</b>			
1-1/2" Wide, 3" High Zenex™ Body. Shackle Dimensions: A: 1/4" C" 25/32"			
411RED	Keyed Different	1-1/2"	
411REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover		
411LTRED	Keyed Different, Extra Length Shackle	3"	
411KARED	Keyed Alike	1-1/2"	
411KALTRED	Keyed Alike, Extra Length Shackle	3"	
411MKRED	Master Keyed	1-1/2"	
411KAMKRED	Keyed Alike, Master Keyed		
411AST	Pack – One each of all eight colors. Keyed Different		
Eight Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK,TEAL, PRP, ORJ			
411COVERS	Extreme Environment Safety Padlock Cover; bag of 12 covers – see page 13		
S141	Write on North American English/Spanish, English/French. Bilingual options available. (50 labels/language)		
0411-5705	Photo ID labels for 411 padlocks (6 pk.)		



411BLU

Keyed Alike Sets Available





## S31 Global Zenex™ Safety Padlock


- ▶ 3/16" Marine grade 316 stainless steel shackle for superior corrosion resistance
- ▶ Key retaining – ensures padlock is not accidentally left unlocked
- ▶ Available with 1-1/2" or 3" tall shackle
- ▶ Patented


## S32 Zenex™ Dielectric Safety Padlock

- ▶ Non-Conductive, Non-Magnetic, Non-Sparking Safety Padlock – all components are plastic, copper or brass
- ▶ Ideal for medical, military, mining & electrical lockout
- ▶ 3/16" diameter x 1-1/2" high plastic shackle
- ▶ Non key retaining – padlock can be left unlocked and snap locked as needed. Ideal for use with 498A or 503 series group lock boxes
- ▶ Patented

## S33 Global Zenex™ Snap Lock Safety Padlock

- ▶ 3/16" Marine grade 316 stainless steel shackle for superior corrosion resistance
- ▶ Non key retaining – padlock can be left unlocked and snap locked as needed. Ideal for use with 498A or 503 series group lock boxes
- ▶ Available with 1-1/2" or 3" tall shackle
- ▶ Patented



Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic	
<b>Zenex™ Safety Padlock</b>				
1-3/8" Wide, 1-7/8" High Zenex™ Body. Shackle Dimensions: A: 3/16" C: 5/8"				
S31RED	Keyed Different	1-1/2"		
S31REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover			
S31LTRED	Keyed Different, Extra Length Shackle	3"		
S31KARED	Keyed Alike	1-1/2"		
S31KALTRED	Keyed Alike, Extra Length Shackle	3"		
S31MKRED	Master Keyed	1-1/2"		
S31KAMKRED	Keyed Alike, Master Keyed			
<b>Zenex™ Dielectric Safety Padlock</b>				
1-3/8" Wide, 1-7/8" High Body. Shackle Dimensions: A: 3/16" C: 5/8"				
S32RED	Keyed Different	1-1/2"		
S32REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover			
S32KARED	Keyed Alike			
S32MKRED	Master Keyed			
S32KAMKRED	Keyed Alike, Master Keyed			
<b>Zenex™ Snap-Lock Safety Padlock</b>				
1-3/8" Wide, 1-7/8" High Zenex™ Body. Shackle Dimensions: A: 3/16" C: 5/8"				
S33RED	Keyed Different	1-1/2"		
S33REDCOV	Keyed Different with Extreme Environment Safety Padlock Cover			
S33LTRED	Keyed Different, Extra Length Shackle	3"		
S33KARED	Keyed Alike	1-1/2"		
S33KALTRED	Keyed Alike, Extra Length Shackle	3"		
S33MKRED	Master Keyed	1-1/2"		
S33KAMKRED	Keyed Alike, Master Keyed			
Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, TEAL, PRP, ORJ, WHT				
S30COVERS	Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 13			
S140	Write on North American English, Spanish, and French. Multilingual label options available. (50 labels/language)			
S142	North American English, Spanish & French Padlock Labels for 406, 410, S31 & S33 (6 pk.)			

Keyed Alike Sets Available



# Safety Padlock Keyed-Alike Sets

Popular quantities of safety padlocks are conveniently packed in sets, simplifying the order process.

## Safety Padlock Keyed-Alike Sets

### Safety Padlocks Built and Packed in Popular Keyed Alike Quantities

Workers often need to lock out more than one energy source on a single piece of equipment. Keyed alike safety padlocks can help serve this purpose.

To simplify and expedite ordering, Master Lock now offers our Zenex™, Aluminum and Steel safety padlocks in popular keyed alike quantities – sets of 3, 6, 12, 18 or 24 locks. These locks are ordered as “1” unit and are packed together making them easy to distribute.

“n” Denotes quantity of padlocks per keyed alike set. Choose quantity and color of set(s) at time of purchase.	
Master Lock Model	Description
<b>Zenex™ Safety Padlocks, 1/4" dia shackle</b>	
406KASn	Choose quantity per set; 3, 6, 12, 18 or 24 (e.g. 406KAS24RED = twenty-four red 406KA Padlocks)
410KASn	
411KASn	
Eight Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL	
<b>Zenex™ Safety Padlocks, 3/16" dia shackle</b>	
S31KASn	Choose quantity per set; 3, 6, 12, 18 or 24 (e.g. S31KAS3BLU = three blue S31KA Padlocks)
S33KASn	
Nine Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK, PRP, TEAL, WHT	
<b>Powder Coated Aluminum Safety Padlocks, 1/4" dia shackle</b>	
6835KASn	Choose quantity per set; 3, 6, 12, 18 or 24 (e.g. 6835KAS12GRN = twelve green 6835KA Padlocks)
Six Color Options: Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK	
<b>Anodized Aluminum Safety Padlocks, 1/4" dia shackle</b>	
A1105KASn	Choose quantity per set; 3, 6, 12, 18 or 24 (e.g. A1105KAS6ORJ = six orange A1105KA Padlocks)
A1106KASn	
Nine Color Options: Add Desired Color Suffix: RED, BLU, BRN, GRN, YLW, BLK, ORJ, CLR, PRP	
<b>Laminated Steel, 9/32" dia shackle</b>	
3KASn	Choose quantity per set; 3, 6, 12, 18 or 24 (e.g. 3KAS18YLW = eighteen yellow 3KA Padlocks)
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT.	

Note: Contact Master Lock Customer Care to supply your site's End User Registration ID Number and the key numbers received to update your site's Key Chart.





S6835RED

## Aluminum Safety Padlocks

Lightweight and durable aluminum body for Lockout/Tagout. Choose from powder coated or anodized finish. Stands up to chemicals, temperature extremes, and is UV stable.

## ALUMINUM SAFETY PADLOCK FEATURES

- ▶ Durable padlock weighs 5 ounces, making it easy to carry
- ▶ Solid body construction stands up to physical abuse
- ▶ Durable aluminum body for superior corrosion resistance
- ▶ UV stable
- ▶ No silicone used in padlock
- ▶ 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- ▶ Available keyed different, keyed alike and master keyed
- ▶ Available with 1", 1-1/2" or 3" tall shackle
- ▶ Brass shackle option available for spark resistance
- ▶ Write on labels and Photo ID labels available
- ▶ Body sides and face can be laser engraved for permanent identification – 6 available spaces
- ▶ Virtually all components made in the USA
- ▶ Uses FDA approved lubricants safe for use in food processing

## New S-series Aluminum Safety Padlocks

### *Designed specifically for Safety lockout*

- ▶ Featuring the W401/W417 Safety Exclusive keyway
- ▶ Key retaining
- ▶ Over 40,000 key changes to meet your system needs
- ▶ Complies with the "One Lock, One Key per Employee" mantra
- ▶ Durable aluminum construction for supreme corrosion resistance
- ▶ LifeGuard charting free of charge

### S6835 Series

*Baked on powder coated finish for vibrant color options*



**Master Lock**



### S1100 Series

*Anodized aluminum no-chip finish – ideal for food processing facilities*



**AMERICAN LOCK**







S6835RED  
with cover (COV)



S6835YLW  
with 461 Label



S6835GRN



S6835LFBUL with  
6835-5700 Label



S6835LFBK



S6835LTORJ



**VALIDATED**

• MASTER LOCK 6835 SERIES:  
6835, 6835LF, 6835LT,  
6835W7000, 6835LFW7000,  
6835LTW7000, S6835,  
S6835LF, S6835LT CONTAIN  
A MINIMUM OF 62%  
RECYCLED CONTENT  
UL.COM/ECV



S1105RED



S1105YLW



S1106GRN with  
Cover (COV)



S1106BLU



S1106BLK



S1106PRP



S1107ORJ with  
461 Label



S1107BRN




S1107CLR with  
6835-5700 Label



**VALIDATED**

• MASTER LOCK 1100 SERIES:  
A1105, A1106, A1107, A1165,  
A1166, A1167, S1105, S1106,  
S1107 CONTAIN A MINIMUM  
OF 65% RECYCLED CONTENT  
UL.COM/ECV


Model #	Description	Vertical Shackle Clearance (B)	Schematic
<b>S6835 Series Powder Coated Aluminum Padlocks</b>			
1.5" Wide, 1.820" High—High Visibility Aluminum Body, Shackle Dimensions: A: 1/4" C: 3/4"			
S6835RED	Keyed Different	1"	
S6835REDCOV	Keyed Different with Extreme Environment Safety Padlock	1"	
S6835LFRED	Keyed Different, Extra Length Shackle	1-1/2"	
S6835LTRED	Keyed Different, Extra Length Shackle	3"	
S6835KARED	Keyed Alike	1"	
S6835KALFRED	Keyed Alike, Extra Length Shackle	1-1/2"	
S6835KALTRED	Keyed Alike, Extra Length Shackle	3"	
S6835MKRED	Master Keyed	1"	
S6835KAMKRED	Keyed Alike, Master Keyed		
S6835WORED	Lock Body & Shackle w/o Cylinder		
S6835KZRED	Zero Bitted		
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, ORJ			
S101	Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 13		
6835-5700	Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4" W x 1-3/4" T		
461	Padlock labels with clear overlaminate (50 pk.) - 5" W x 1" T		
<b>S1100 Series Anodized Aluminum Padlocks</b>			
1.5" Wide, 1.820" High Anodized Aluminum Body. Shackle Dimensions: A: 1/4" C: 3/4"			
S1105RED	Keyed Different	1"	
S1105REDCOV	Keyed Different with Extreme Environment Safety Padlock		
S1105KARED	Keyed Alike		
S1105MKRED	Master Keyed		
S1105KAMKRED	Keyed Alike, Master Keyed	1-1/2"	
S1106RED	Keyed Different, Extra Length Shackle		
S1106KARED	Keyed Alike		
S1106MKRED	Master Keyed		
S1106KAMKRED	Keyed Alike, Master Keyed	3"	
S1107RED	Keyed Different, Extra Length Shackle		
S1107KARED	Keyed Alike		
S1107MKRED	Master Keyed		
Also available as 6-pin; A1165, A1166, A1167			
Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, PRP, ORJ, BRN, CLR			
S101	Extreme Environment Safety Padlock Covers; bag of 12 covers – see page 13		
6835-5700	Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4" W x 1-3/4" T		
461	Padlock labels with clear overlaminate (50 pk.) - 5" W x 1" T		

# Standard Aluminum Padlocks


## Powder Coated Aluminum Safety Padlocks

### Master Lock 6835 Series

- ▶ Available in 6 vibrant colors
- ▶ Durable baked-on powder coated finish
- ▶ Over 10,000 key changes available.
- ▶ Rekeyable W6000 keyway, 5-pin cylinder available

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
6835 Series Powder Coated Aluminum Padlocks			
1.5" Wide x 1.820" High—High Visibility Aluminum Body. Shackle Dimensions: A: 1/4" C: 3/4"			
6835RED	Keyed Different	1"	
6835LFRED	Keyed Different, Extra Length Shackle	1-1/2"	
6835LTRED	Keyed Different, Extra Length Shackle	3"	
6835KARED	Keyed Alike	1"	
6835KALFRED	Keyed Alike, Extra Length Shackle	1-1/2"	
6835KALTRED	Keyed Alike, Extra Length Shackle	3"	
6835MKRED	Master Keyed	1"	
6835KAMKRED	Keyed Alike, Master Keyed		
6835WORED	Lock Body & Shackle w/o Cylinder		
6835KZRED	Zero Bitted		
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, ORJ			
COV	Extreme Environment Safety Padlock Cover option; add 'COV' to end of Product No. to order (e.g. S6835REDCOV)		
6835-5700	Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4" W x 1-3/4" T		
461	Padlock labels with clear overlaminate (50 pk.) - 5" W x 1" T		

**Master Lock**



Keyed Alike Sets Available


## Anodized Aluminum Safety Padlocks

### American Lock A1100 Series

- ▶ Available in 9 colors
- ▶ Durable anodized finish suitable for lockout in food processing facilities
- ▶ Over 10,000 key changes available.


### American Lock A3100 Series

- ▶ Interchangeable Core Cylinder. Small Format.
- ▶ Over 101,000 key changes available

American Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
A1100 Series Anodized Aluminum Padlocks			
1.5" Wide x 1.820" High Anodized Aluminum Body. Shackle Dimensions: A: 1/4" C: 3/4"			
A1105RED	Keyed Different	1"	
A1105KARED	Keyed Alike		
A1105MKRED	Master Keyed		
A1105KAMKRED	Keyed Alike, Master Keyed	1-1/2"	
A1106RED	Keyed Different, Extra Length Shackle		
A1106KARED	Keyed Alike		
A1106MKRED	Master Keyed		
A1106KAMKRED	Keyed Alike, Master Keyed	3"	
A1107RED	Keyed Different, Extra Length Shackle		
A1107KARED	Keyed Alike		
A1107MKRED	Master Keyed		
Also available as 6-pin; A1165, A1166, A1167			
A3100 Series Interchangeable Core Anodized Aluminum Padlocks			
1.5" Wide x 1.820" High Anodized Aluminum Body. Shackle Dimensions: A: 1/4" C: 3/4"			
A3105RED	Keyed Different	1"	
A3106RED	Keyed Different, Extra Length Shackle	1-1/2"	
A3107RED	Keyed Different, Extra Length Shackle	3"	
Also available as 6-pin; A3165, A3166, A3167			
Nine Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, PRP, ORJ, BRN, CLR			
COV	Extreme Environment Safety Padlock Cover option; add 'COV' to end of Product No. to order (e.g. S6835REDCOV)		
6835-5700	Photo ID labels for S6835/6835 series and S1100/A1100 series padlocks – 1-1/4" W x 1-3/4" T		
461	Padlock labels with clear overlaminate (50 pk.) - 5" W x 1" T		



**AMERICAN LOCK**




Keyed Alike Sets Available – A1105 and A1106 padlocks

## STEEL SAFETY PADLOCK FEATURES

- ▶ Weighs approximately 7 ounces
- ▶ Can withstand extreme temperatures
- ▶ 9/32" diameter shackle
- ▶ Available with 3/4", 1-1/2" or 2" tall shackle
- ▶ 6 bumper colors available
- ▶ Keyed Different, Keyed Alike and Master Keyed options
- ▶ Over 1400 unique key codes available
- ▶ Includes 2 keys
- ▶ Key code stamped in key and on bottom of padlock
- ▶ Wrap around, write on labels available for identification
- ▶ Your facility's padlocks can be key charted to ensure no duplicate key numbers are supplied and accidentally handed out to multiple employees
- ▶ Virtually all components made in the U.S.A.
- ▶ Uses FDA approved lubricants safe for use in food processing



### 3 Steel Safety Padlock

Master Lock Model #	Description	Vertical Shackle Clearance (B)	Schematic
1-9/16" Wide Laminated Steel Body. Shackle Dimensions: A: 9/32" C: 5/8"			
3RED	Keyed Different	3/4"	
3LFRED	Keyed Different, Extra Length Shackle	1-1/2"	
3LHRED	Keyed Different, Extra Length Shackle	2"	
3KARED	Keyed Alike	3/4"	
3KALFRED	Keyed Alike, Extra Length Shackle	1-1/2"	
3KALHRED	Keyed Alike, Extra Length Shackle	2"	
3MKRED	Master Keyed	3/4"	
3KAMKRED	Keyed Alike, Master Keyed		
Rainbow Color Assortment Packs			
1220AST	One each of all six #3 colors. Keyed Different	1-1/2"	
1220LHAST	One each of all six #3LH colors. Keyed Different	2"	
1220DSPL	Safety Starter Kit. Two 420 safety lockouts; six 3 safety lockout padlocks (one each color); six 71TAG ID tags; and six 71SC9 attachment collars	1-1/2"	
Six Color Options: Add Desired Color Suffix: RED, YLW, GRN, BLU, BLK, WHT.			
461	Padlock labels with clear overlamine (50 pk.)		

Keyed Alike Sets Available

### Breakaway Shackle Padlock

**Laminated Steel Padlock with Breakaway Shackle for Emergency Access**

- ▶ Ideal for emergency situations where emergency access is needed, such as fire extinguishers and hoses.

NOTE: Does not meet OSHA 1910.147 Lockout/Tagout Standard.

Master Lock Model #	Description	Vertical Shackle Clearance (B)
500KABRK	Keyed Alike, Warded Locking Mechanism. Breakaway Shackle	13/16"



## Steel Safety Padlocks

Strong and economical. Reinforced laminated steel construction stands up to extreme physical abuse.





Laser Engraving


## Padlock Identification

Master Lock offers the widest range of padlock identification products available.

## Laser Engraving

### A Permanent and Durable Method to Customize Your Safety Lockout Padlocks

- ▶ Available on Aluminum and Zenex™ padlocks
- ▶ A name, logo or key number, you select the important information to engrave on the padlock
- ▶ Laser engrave information on the padlock face, sides or back
- ▶ Contact your preferred distributor or Master Lock for ordering and pricing information
- ▶ Available in many languages; call for details
- ▶ Visit [www.masterlocksafety.com](http://www.masterlocksafety.com) to see sample engraving on all lock styles and colors



## Padlock Identification Labels



Master Lock Model #	Description	Dimensions
0411-5705	Photo ID labels for 411 padlocks (6/pk)	1" W x 2-3/8" T
6835-5700	Photo ID labels for A1105, A1106, A1107, A1165, A1166, A1167 and 6835 padlocks (6/pk)	1-1/4" W x 1-3/4" T
461	Padlock labels with clear overlaminate (50/pk)	5" W x 1" T
S140	North American English, Spanish & French Padlock Labels for 410, 406, S31 & S33 (50 labels/language)	1" W x 1-3/16" T
S141	North American English/Spanish, & English/French Padlock Labels for 411 padlocks (50 labels/language)	1" W x 2-3/8" T
S142	Photo ID labels for 410, 406, S31, and S33 Padlocks (6/pk)	1" W x 1-1/4" T



Master Lock Model #	Description	Dimensions
"Danger Do Not Operate" Padlock Labels for 410, 406, S31 & S33 padlocks		
S140	North American English, Spanish & French (50 labels/language)	1" W x 1-3/16" T
S140LES	European Spanish (50 labels/language)	
S140LFR	European French (50 labels/language)	
S140LCS	Czech (50 labels/language)	
S140LNL	Flemish/Dutch (50 labels/language)	
S140LDE	German (50 labels/language)	
S140LIT	Italian (50 labels/language)	
S140LJA	Japanese (50 labels/language)	
S140LZH	Mandarin Chinese (50 labels/language)	
S140LPL	Polish (50 labels/language)	
S140LPT	Portuguese (50 labels/language)	
S140LRU	Russian (50 labels/language)	
Bilingual "Danger Do Not Operate" Padlock Labels for 411 padlocks		
S141	North American English/Spanish, & English/French (50 labels/language)	1" W x 2-3/8" T
S141LESLEN	European Spanish/English (50 labels/language)	
S141LFRLEN	European French/English (50 labels/language)	
S141LCSLEN	Czech/English (50 labels/language)	
S141LNLEN	Flemish/Dutch/English (50 labels/language)	
S141LDELEN	German/English (50 labels/language)	
S141LITLEN	Italian/English (50 labels/language)	
S141LJALEN	Japanese/English (50 labels/language)	
S141LZHLEN	Mandarin Chinese/English (50 labels/language)	
S141LPLEN	Polish/English (50 labels/language)	
S141LPTLEN	Portuguese/English (50 labels/language) (50 labels/language)	
S141LRULEN	Russian/English (50 labels/language)	

## Extreme Environment Safety Padlock Covers

- ▶ Seals shackle and keyway to help keep out dust and grime from extreme environments
- ▶ Dual strap increases durability and minimizes the obstruction of labels
- ▶ Removable attached keyway cap allows for easier access to keyway (not included on S30COVERS)
- ▶ Available for American Lock S1100 Series and Master Lock S6835, 410, 411 and S30 Series safety padlock families



Master Lock Model #	Description
S101	For American Lock S1100 and A1100 series and Master Lock S6835 and 6835 series padlocks; bag of 12 covers
400COVERS	For Master Lock 410 and 406 series padlocks; bag of 12 covers
411COVERS	For Master Lock 411 series padlocks; bag of 12 covers
S30COVERS	For Master Lock S31, S23 & S33 series padlocks; bag of 72 covers

## HF RFID and Barcode Labels **Master Lock** | FIELDiD

*Ideal for Use w/Field ID Software*

- ▶ With electronic identification labels, equipment can be identified instantly and error free
- ▶ HF RFID labels feature an HF RFID inlay programmed with a unique 16-digit code.
- ▶ Barcode labels feature a 2-D barcode graphic with a printed alphanumeric code. S153 barcode label features 1-D barcode graphic
- ▶ Durable polyester construction resists extreme environments



S153

Master Lock Model #	Description
S150	2-D Barcode labels – for use on metal or plastic surfaces. Use with barcode reader, smartphone or tablet. 100 Labels/Bag
S151	HF RFID and Barcode labels – for use on non-metal applications. Use with HF RFID reader, NFC enabled smartphone or tablet. Read range of approximately 1-inch. 25 Labels/Bag
S152	HF RFID and Barcode labels – for use on metal or non-metal applications. Use with HF RFID reader, NFC enabled smartphone or tablet. Read range of approximately 1-inch. 25 Labels/Bag.
S153	1-D Barcode labels – for use on metal or plastic surfaces. Use with barcode reader, smartphone or tablet. 100 Labels/Bag



S150



S151



S152


## Padlock Accessories

Safety lockout accessories for OSHA compliance.

## Padlock Chains, Collars & Tags

- ▶ Chains keep padlocks close to equipment requiring safety lockout
- ▶ Engravable brass tag provides for individual worker identification
- ▶ Tags attach to safety lockout padlocks with 71SC8 and 71SC9 collars

Master Lock Model #	Description
71CS	9" Long lightweight zinc plated steel chain with chain holder attached; fits all Master shackle collars (ordered separately) (12 pk.)
71CH	9" Long heavy-duty zinc plated steel chain with chain holder attached; fits all Master shackle collars
71SC8	Shackle Collar. Fits 1/4" diameter shackles and smaller; for 410, 411, S1100/A1100, S6835/6835 padlocks
71SC9	Shackle Collar. Fits 9/32" diameter shackles; for 3 laminated steel padlocks
71TAG	1/2" x 1-3/4" Brass tag with ring for attaching to shackle collars listed above



## Lockout Leash™ Lanyard

- ▶ Lanyard for mounting padlock or hasp near lockout point
- ▶ 36" lanyard can easily be shortened to 2" to reduce excess slack
- ▶ Includes mounting clips for 1/4" and 9/32" diameter shackles
- ▶ Fits Master Lock and American Lock Safety Padlocks and most Safety Hasps

Master Lock Model #	Description
S100	Lockout Leash™ mounting lanyard – Set length 36" to 2"



S100 Lockout Leash™ Lanyard

## Safety Padlock Caddy

- ▶ Keep safety padlocks near appropriate machinery
- ▶ Hold up to 12 padlocks based on number of lockout points
- ▶ When locking out, conveniently carry caddy to all lockout points
- ▶ When all padlocks are gone, all lockout points have been met

Master Lock Model #	Description
S125	Safety Padlock Caddy – Carry up to 12 padlocks from lockout job to job



S125 Safety Padlock Caddy

## Lock Lubricant

Master Lock Model #	Description
2305	5.25 oz PTFE-based "dry" aerosol lubricant ideal for padlocks and multi-purpose applications



2305 Lock Lubricant



## Hasps

Lockout hasps are integral parts of a successful safety lockout program, providing effective multi-person lockout.

## Safety Lockout Hasps

### Lockout by Multiple Workers at Each Lockout Point

- ▶ Attach hasp to energy disconnect switch
- ▶ Control cannot be turned on until last worker's padlock is removed from hasp
- ▶ Multiple styles available to fit most needs; **Spark resistant aluminum, Pry-resistant steel, Dielectric plastic, Dual jaw aluminum**

#### Aluminum



#### Tabbed Steel




#### Steel



#### 4mm Dia. Stainless – Steel Hasp



#### Aluminum Sliding Hasp



#### 4mm Dia. Shackle Hasp



#### Heavy Duty Steel



#### Dual Jaw Aluminum



#### Dielectric



Master Lock Model #	Description	Inside Jaw Clearance	Jaw Dia.	Padlock Capacity
416	Spark Resistant Aluminum 1-1/2" x 4-3/8"	1"	1/4"	6
417	Spark Resistant Aluminum 2" x 4-7/8"	1-1/2"	1/4"	6
418	Heavy Duty Steel 2-3/8" x 3-1/4"	1"	1/4"	4
419	Heavy Duty Steel 2-3/8" x 6-5/8"	3"	1/4"	8
420	Steel Jaw with Vinyl Coated Handle 1-3/4" x 4-1/2"	1"	1/4"	6
421	Steel Jaw with Vinyl Coated Handle 2-3/8" x 5"	1-1/2"	1/4"	6
428	Nylon Non-Conductive Hasp 1-5/8" x 6-7/8"	1" x 2-1/2"	3/16"	6
429	Dual Jaw Aluminum Hasp 2" x 5-7/8"	1" & 1-1/2"	1/4"	8
AL080	Tabbed Steel Jaw with Vinyl Coated Handle 1-3/4" x 4-1/2"	1"	3/8"	6
AL0802	Tabbed Steel Jaw with Vinyl Coated Handle 2-3/8" x 5"	1-1/2"	3/8"	6
S430	Steel Hasp with Red Plastic Handle 2-1/4" x 3"	1"	4mm	2
S431	316 Stainless Steel Hasp 1-3/4" x 5-1/4"	1"	4mm	8
S440	Anodized Aluminum Sliding Hasp (9" x 1-3/4")	21mm	27mm	12
S450	Anodized Aluminum Sliding Hasp (13-1/2" x 1-3/4")	21mm	27mm	24

### Model 427 – Labeled Snap-On Hasp

- ▶ Combines multiple-person lockout and tagout identification
- ▶ Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- ▶ Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- ▶ Anodized aluminum and stainless steel construction for combined corrosion-resistance and strength
- ▶ Complete with high visibility, re-usable, write-on safety labels (English, French & Spanish)



427AST

**Snap-On Advantage**

Master Lock Model #	Description	Inside Jaw Clearance	Jaw Dia.	Padlock Capacity
427	Red Labeled Snap-On Hasp 2-7/8" x 7"	1-3/4" x 2-1/8"	1/4"	5
427AST	Labeled Snap-On Hasp Assortment Pack (6 Hasps, Black, Blue, Green, Red, Purple and Yellow)			
427BLU	Blue labeled Snap-On Hasp 2-7/8" x 7"; Other colors available (BLK, GRN, PRP, & YLW) Add suffix to end of Product No. to order			

## Grip Tight™ Circuit Breaker Lockout


*Greatest Hold Strength Combined with Universal Fit*

- ▶ Secure and simple mounting for a solid lockout. Holds tight with simple thumb turn and clamping handle.
- ▶ Exclusive design accommodates virtually all styles of breaker toggles
  - Model 491B fits tall and wide breaker toggles
  - Model 493B fits standard height and tie-bar toggles
- ▶ Narrow profile permits side by side breaker lockout
- ▶ Compact devices are easy to carry and easy to store
- ▶ Both devices accept all American Lock® and Master Lock® safety padlock shackle and lockout hasp diameters
- ▶ Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments
- ▶ Patented

Master Lock Model #	Description
491B	Circuit Breaker Lockout – tall and wide toggles
493B	Circuit Breaker Lockout – standard single and double toggles
506	Set of each device – one 491B and one 493B



Two Lockouts  
Replace  
Many



## Electrical Lockouts

Master Lock offers innovative, patented and patent pending devices for the effective lockout of electrical shut-off points, including circuit breakers, and electrical plugs.

## Miniature Circuit Breaker Lockouts

*Locks Out Most Miniature ISO/DIN Circuit Breakers Found Throughout the World*

- ▶ S2390 fits standard width toggle openings. Pin out. Black Handle
- ▶ S2391 fits wide toggle openings. Pin out. Red Handle
- ▶ S2394 features thumb-turn dial screw for easy attachment – no tools needed!
- ▶ Works with all Master Lock and American Lock safety padlocks and most lockout hasps
- ▶ S2390, S2391, S2392 Patented devices
- ▶ S2394 Patent pending

Master Lock Model #	Description
S2390	Fits pin-out breakers 11mm or less
S2391	Fits pin-out breakers 11mm to 13mm
S2392	Fits breakers with pin-in toggles
S2393	Fits universal breaker toggles
S2394	Fits universal breaker toggles, tool-free



S2394  
Side-by-Side  
Application

S2394  
Horizontal  
Application



S2394

No Tools  
Required



S2393



## Circuit Breaker Switch Padlock

*Provides the Flexibility to Effectively Lock Out Breaker Switches*

- ▶ 3/16" diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices
- ▶ Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly
- ▶ Fits the tight space constraints within circuit breaker shut-off boxes
- ▶ Numerous key changes are available to minimize the possibility of unwanted key duplication

Master Lock Model #	Description
7C5RED	1-1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable. Keyed Different.
7KAC5RED	1-1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable. Keyed Alike.

**Allows Panel Door to Close**



## Rotating Electrical Plug Lockouts

*Outward/Inward Rotation Allows for Easier Application & Storage*

- ▶ Surrounds the electrical plug; protects against accidental reconnection
- ▶ Unique, patented rotating design allows for easier installation in confined space applications
- ▶ Complete with high-visibility permanent safety labels (English, French & Spanish). Labels can be written-on to identify the responsible person, then erased for the next job.
- ▶ Tough, lightweight, dielectric Zenex™ bodies withstand chemicals; perform effectively in extreme conditions

Master Lock Model #	For Electrical Plug Sizes Up To:
487	2-1/4" dia. x 3-1/4" with cord dia. up to 3/4" (Most 110- and many 220-volt plugs)
488	3" dia. x 6" with cord dia. up to 3/4" (Most 220 – 550 volt plugs)



**Exclusive Rotating Design**

## Compact Plug Prong Lockout

*Compact Design Locks Out Smaller Plugs Easily & Effectively*

- ▶ Locks on the prongs of 110-120 volt plugs
- ▶ Fits two prong plugs with and without ground
- ▶ Use with your existing lockout padlocks or lockout hasps
- ▶ Includes labels in English, Spanish, and French
- ▶ Patented

Master Lock Model #	Description
S2005	Fits 110-120-volt plugs (with or without ground)



S2005



## Removable and Permanent Push Button and Rotary Switch Covers

Temporarily prohibit access or avoid the nuisance of changing rotary switch settings with these durable, versatile, push button & switch covers. Available in both removable and installed versions, covers feature a clear base and cover to allow visibility of nameplates, labels or rotary switch knobs.

- Fits both 30.5mm and 22.5mm diameter switches

### ***S2151 Removable Push Button and Rotary Switch Cover***

- Accommodates buttons up to 2" (50mm) diameter and 1-3/4" (45mm) tall
- Accepts S100 lockout leash to tether removable cover at switch panel
- Includes one cover, one install base and one retrofit base with double-faced adhesive tape
- S2152AST pack of 12 install bases allows one S2151 to service multiple switches on same panel



### ***S2153 Permanent/Installed Push Button and Rotary Switch Cover***

- Captured by the rotary or pushbutton switch bezel
- Accommodates buttons up to 1-9/16" (40mm) diameter and 1-3/4" (45mm) tall



### ***S2152AST Install Bases***

- Use with S2151
- Pack of 12 install bases
- Allows one S2151 removable cover to service multiple switches on same panel



### ***S2154AST Retrofit Install Bases***


- Use with S2151
- Pack of 12 horse-shoe shaped retrofit bases with double-faced adhesive tape
- Allows for use with raised nameplates and off-center installation to accommodate rotary switch knobs



Master Lock Model #	Description
S2151	Removable Button and Switch Cover
S2153	Installed Button and Switch Cover
S2152AST	Install Bases for S2151 Removable Cover (12 pack)
S2154AST	Retrofit Install Bases for S2151 Removable Cover (12 pack)



S2152AST



S2154AST

## Electrical Covers

Versatile, durable, patented and patent pending designs address need for temporarily prohibiting access to a switch or control or to avoid nuisance changing of rotary switch settings.

S2153



# Universal Wall Switch Cover

## Locks Out Both Toggle and Decora® Paddle Wall Switches

- ▶ Patented design assures switch is kept on or off
- ▶ Hinges open for unobstructed normal operation of switch
- ▶ Includes English/Spanish and English/French labels



Master Lock Model #	Description
496B	Universal Wall Switch Cover

# Oversized Plug & Hoist Control Cover

## Effectively Covers Odd Size and Large Electrical Connectors and Hoist Controls

- ▶ The cinch sack offers broad application solutions
- ▶ Insert PVC tubing (not available through Master Lock) to block access to hoist control buttons
- ▶ Flexible & durable rip-stop nylon bag fits easily in safety tool boxes
- ▶ Lock out with up to 6 padlocks or hasps


Master Lock Model #	Description	Dimensions
453L	Large Nylon Oversized Plug & Control Cover	7" dia. x 17" tall
453XL	Extra Large Nylon Oversized Plug & Control Cover	10" dia. x 26" tall
453XXL	Extra Extra Large Nylon Oversized Plug & Control Cover	14" dia. x 36" tall



453L



Electrical Connector Cover



Hoist Control Cover

# Butterfly Valve Lockout Devices


## Locks out virtually all butterfly valves

- ▶ Easy-to-use, Adjustable design fits virtually all butterfly valves
- ▶ Locks out valve in seconds by feeding S806 cable lockout device through desired eyelet and around valve neck
- ▶ Stainless steel rivet allows device to smoothly pivot open and closed to ensure proper fit
- ▶ Durable, lightweight Zenex™ material is chemical resistant and performs effectively in extreme environments
- ▶ Directional application arrows allow for ease of installation and minimize user error

Master Lock Model #	Description
S3920	Butterfly Valve Lockout Device only
S3921	Butterfly Valve Lockout Device + S806CBL3 Adjustable cable lockout



S3920 device acts as a wedge between the two handles; locked out with S806 adjustable cable & padlock.



## Valve Lockouts

The exclusive, patented Master Lock gate and ball valve lockout devices work in difficult applications like tight spaces and insulated pipes.

# Rotating Gate Valve Lockouts

## Outward/Inward Rotation Allows for Easier Installation & Storage

- ▶ Surrounds the valve operating handle to protect against accidental valve opening
- ▶ Multiple workers can apply their lockout hasps or personal safety locks
- ▶ Tough, lightweight, dielectric Zenex™ bodies withstand chemicals; perform effectively in extreme conditions
- ▶ Unique, patented rotating design allows for easier installation in confined space applications
- ▶ Complete with high-visibility permanent safety labels (English, French & Spanish) that can be written-on to identify the responsible person, then erased for the next job
- ▶ Center knockout can be removed for rising stem gate valves
- ▶ Each size rotates into itself and nests within the next larger size to save space in storage

Master Lock Model #	Description	Depth	Stem Opening
480	1" to 3" dia. valve handles	1-1/16"	3/4"
481	2" to 5" dia. valve handles	1-1/2"	1-1/2"
482	4" to 6.5" dia. valve handles	1-7/8"	2-1/2"
483	6" to 10" dia. valve handles	2-3/4"	3-1/2"
484	8" to 13" dia. valve handles	3-3/8"	4"
485	1 set of 480-484		

Easy to Store Fits in Kits



Easy to Use Even in Tight Spaces



# Pressurized Gas Valve Lockout

## Fits Pressurized Gas Valves

- ▶ Patented design works with valve guard in place
- ▶ Fits virtually all pressurized gas valve handles up to 3" diameter
- ▶ Compact size easily stored when not being used
- ▶ Accepts any Master Lock® or American Lock® Safety Padlock
- ▶ Works with lockout hasps for multiple worker lockout

Master Lock Model #	Description	Depth	Stem Opening
S3910	Pressurized Gas Valve Lockout	1"	1-5/8"



# Ball Valve Lockout Devices

## Effective Lockout for Virtually Any Ball Valve

- ▶ Easy to use – simple, intuitive designs
- ▶ Broad application
  - Devices lock out ball valve sizes up to 4"
  - Fit virtually all types of pipe including insulated, PVC and metal
- ▶ Lightweight and compact – devices are easy to carry, store and apply even in tight, awkward spaces



### S3068 Seal Tight™ Handle-On Lockout

Metal device clamps tight on handle stop. Defies corrosive environments and extreme temperatures.



### 468L Seal Tight™ Handle-Off Lockout


Device encloses the valve stem, with the handle removed, to make accidental reactivation virtually impossible.

Operates in extreme temperatures



### S3081 Adjustable Lockout

Works with S806 cable lockout device for the most secure fit



Master Lock Model #	Description	For Valve Diameters of:
S3068	Seal Tight Handle-On Ball Valve Lockout 5-3/4" L x 2-1/8" W x 2-1/2" H	1/4" to 4"
468L	Seal Tight™ Handle-Off Lockout, 11-1/2" H x 12-3/4" W x 2-1/2" D	3/8" to 4"
S1000	Seal Tight Ball Valve Lockout Kit (Set of 1 Each S3068 & 468L)	1/4" to 4"
S3081	Adjustable Ball Valve Lockout	1/2" to 2"

### S3476/S3477 1/4 Turn Ball Valve Lockout

Fits manual, quarter turn ball valve handles to protect against accidental opening. Easy to use one piece design locks valve in OFF position. Two rows of lock out points allow for a secure fit.



Master Lock Model #	Description
S3476	Fits valves between 1/4" (6.35mm) to 1" (25mm) diameter
S3477	Fits valves between 1-1/4" (31mm) to 3" (76mm)



S806


## Group & Multi-Point Lockouts

Innovative patented cable lockouts and lock boxes offer efficient multipoint and group safety compliance.

## Adjustable Cable Lockouts

### *Infinitely Adjustable for a Secure Fit Every Time*

- ▶ Integrated safety hasp and cable are ideal for multi-point lockout
- ▶ Feed the cable end through the points to be locked out, then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature.
- ▶ Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating
- ▶ Tough, lightweight Zenex™ body withstands chemicals; performs effectively in extreme conditions [temperature range of -40° F to 200° F]
- ▶ Master Lock S806 includes a 6' cable. Cable available in 1 ft. increments from 2 ft. to 50 ft.
- ▶ Complete with high-visibility write-on safety labels (English, French & Spanish)



Master Lock Model #	Description
3/16" (4mm) Diameter Cable	
S806	6' Adjustable cable lockout
S806CBL3	3' Adjustable cable lockout
S806CBL15	15' Adjustable cable lockout
S806CBL <i>n</i>	Adjustable cable lockout with user-specified cable length of 2' to 50'



## Latch Tight™ Group Lock Boxes

### *Storage Devices Capture Keys for Effective Lockout of Large Equipment*

- ▶ Secure each lockout point on a piece of equipment with a single padlock. Place the keys in the group lock box and then each authorized employee places their personal padlock on the lock box
- ▶ When work is complete, employees take their personal padlocks off the lock box, freeing the keys inside. Keys inside cannot be accessed until the last employee removes their padlock
- ▶ Feature an exclusive, patented Latch Tight™ locking mechanism that prevents keys from being accessed until the last padlock or lockout hasp is removed from the box. Provides the highest level of security available in a group lock box.
- ▶ Lockout message on box is in three languages – English, Spanish and French
- ▶ Durable powder coated finish with stainless steel handle

### 498A

- ▶ Portable solution
- ▶ Available in Red
- ▶ Accepts 12 padlocks or lockout hasps
- ▶ Holds hundreds of keys




498A

### 503RED/503YLW

- ▶ Can be mounted to wall or carried from job to job
- ▶ Accepts 14 padlocks or lockout hasps
- ▶ Holds hundreds of keys
- ▶ Includes organized storage for 12 keys in back of box



503RED



503YLW

Master Lock Model #	Description	Dimensions H x L x W
498A	Portable Group Lock Box	6" x 9-1/4" x 3-3/4"
503RED	Dual Application Group Lock Box - Red	12-3/4" x 3-1/2" x 6-3/8"
503YLW	Dual Application Group Lock Box - Yellow	12-3/4" x 3-1/2" x 6-3/8"




## Pneumatic & Wheel Lockouts

Our pneumatic and wheel lockouts offer easy-to-use, innovative ways to lock out virtually any pneumatic fitting or steering wheels.

### Pneumatic Lockout

*Prevents Pneumatic Fitting From Being Connected to Pressurized Air Source*

- ▶ Fits virtually all male pneumatic fittings
- ▶ Stainless steel construction for corrosion resistance
- ▶ Measures 1-3/8" wide x 7-3/4" tall x 1/8" thick
- ▶ Accepts any Master Lock or American Lock Safety Padlock
- ▶ Works with lockout hasps for multiple worker lockout



Master Lock Model #	Description
S3900	Stainless Steel Pneumatic Lockout

### Steering Wheel Covers

*Provides Visual Deterrant During Vehicle Maintenance*

- ▶ Three sizes available for various diameter steering wheels – 16", 20", 24"
- ▶ Trilingual warning notifies employees not to start or move vehicle
- ▶ Lock in place with a 421 hasp and safety padlock
- ▶ For added security, use Master S806 cable lockout around steering wheel and foot pedals

Master Lock Model #	Description
4716	16" Diameter Steering Wheel Cover
4720	20" Diameter Steering Wheel Cover
4724	24" Diameter Steering Wheel Cover



4716



4720



4724



## Blind Flange Lockout

Best-in-class lockout solution for pipeline maintenance

## Blind Flange Lockout

*Device provides a physical barrier preventing unwanted blind removal during pipeline maintenance.*

- ▶ Ideal solution for protecting workers from hazards during pipeline maintenance
- ▶ Device fully conceals flange bolts preventing access to the blind until all work has been completed
- ▶ Easy-to-use, adjustable device provides a tight fit, adapting to multiple flanged pipe applications
- ▶ Three models designed to cover and lock out flange nuts ranging from  $\frac{3}{4}$ " (19mm) to 2- $\frac{3}{4}$ " (69.9mm) diameter and flange widths ranging from 1- $\frac{1}{2}$ " (38.1mm) to 17- $\frac{7}{8}$ " (447.8mm)
- ▶ Durable powder coated aluminum and hardened steel slide bar withstand conditions indoors and out
- ▶ Trilingual, write-on "Danger" labels provided for additional safety ID



### Size Chart


Master Lock Model #	Pipe Diameter Range	Nut Diameter	Flange Width Range
S3922	1/2" – 3" (12.7mm – 76.2mm)	3/4" – 1-1/8" (19mm – 28.7mm)	1-1/2" – 5-5/8" (38.1mm – 143.3mm)
S3923	3-1/2" – 12" (88.9mm – 304.8mm)	1" – 1-7/8" (33.3mm – 47.8mm)	3-3/4" – 10-3/4" (95.3mm – 274.6mm)
S3924	14" – 24" (355.6mm – 609.6mm)	2" – 2-3/4" (52.3mm – 69.9mm)	7-3/4" – 17-7/8" (196.9mm – 447.8mm)



S3922  
Blind Flange Lockout,  
Small



S3923  
Blind Flange Lockout,  
Medium



S3924  
Blind Flange Lockout,  
Large

## Confined Space Covers

**Best practice OSHA compliant solution to confined space entry protection**



### 3 Models Available

Master Lock Model #	Description
S201CS	Elastic, ventilated cover; non-lockable
S202CS	Ventilated cover; lockable
S203CS	Solid cover; lockable

- ▶ Features "Danger" signage and barrier protection to meet and exceed OSHA regulations for confined space
- ▶ Designed to protect employees from the dangers associated with confined spaces
- ▶ Innovative design is easy to use and applies in seconds
- ▶ Ventilated models prevent entry and allow airflow
- ▶ Wards against weather, debris and pests entering the confined space
- ▶ Lockable and non-lockable models available
- ▶ Reusable covers made from durable fabric to stand up to extreme environments

### 4 Sizes Available

HOW TO DETERMINE SIZE NEEDED			
	Man-Way Diameter	Size	Suffix
	20"-23"	Small	S
	23"-28"	Medium	M
	28"-32"	Large	L
	32"-39"	X-Large	XL
*Size also depends on flange size Add size suffix to model number to order, Ex. S202CSXL for X-Large			



### When Do I Use Covers?

- ▶ Once a **confined space entryway has been opened**, covers provide required signage needed to alert workers of confined space danger
- ▶ During **long periods between entry operations**, lockable covers provide added security and shield against contamination of the space
- ▶ During **break periods of active maintenance**, ventilated covers provide excellent signage and encourage air flow

### Securing Lockable Covers

Lockable covers should be secured with a different type of lock than what is used for your safety lockout procedures. We recommend using a security lock such as:

- ▶ Master Lock 6121 Weather Tough® Padlock
- ▶ American Lock A20 Solid Brass Padlock
- ▶ Master Lock 975 Resettable Combination Padlock
- ▶ Master Lock 311 Covered Laminated Padlock

Learn more at [masterlocksafety.com/CSC](http://masterlocksafety.com/CSC)



## Confined Space Covers

OSHA compliant control covers for confined space entry points. These covers provide the best practice solution to confined space entry while also protecting against the elements and pest infestation.



## Aircraft Power Receptacle Lockout

**Maintains the De-Energized State of the Aircraft Electrical System by Preventing Ground Power Plug Insertion**

- ▶ Universal fit accommodates 3 and 6 prong power receptacles
- ▶ Easily and securely tightens around the power receptacle prong
- ▶ Durable, lightweight Zenex™ withstands chemicals and performs effectively in extreme conditions



S2029



## Aircraft Circuit Breaker Lockouts

**Prevents Accidentally Re-Energizing an Electrical System by Locking a Circuit Breaker In the "Off" Position**

- ▶ Universal fit accommodates long or short breakers, with or without collars
- ▶ Sliding cover allows for easy application without a tool



S2329

## Aircraft Danger-Do Not Operate Lockout Tag

**Clearly Displays Danger - Do Not Operate Lockout Message**

- ▶ 3" x 1.5" (76mm x 38mm) Guardian Extreme polypropylene tag
- ▶ Worker name and completion date can be written in permanent marker, wiped clean with isopropyl alcohol, and re-used as often as needed



S4529

Master Lock Model #	Description
S2029	Aircraft Power Receptacle Lockout
S2329	Aircraft Circuit Breaker Lockout
S4529	Aircraft Lockout Tag, 1 Bag of 6 Tags and 18 Ties
S1029E406	Aircraft Lockout Kit. Contains: 6 - Dielectric Shackle Padlocks; 1 - S2029 Power Receptacle Lockout; 6 - Circuit Breaker Lockouts; 1 - S4529 Tags (12/pack).
S1029E410	Aircraft Lockout Kit. Contains: 6 - Steel Shackle Padlocks; 1 - S2029 Power Receptacle Lockout; 6 - Circuit Breaker Lockouts; 1 - S4529 Tags (12/pack).
S1030E406	Aircraft Lockout Kit. Contains: 12 - Dielectric Shackle Padlocks; 1 - S2029 Power Receptacle Lockout; 12 - Circuit Breaker Lockouts; 2 - S4529 Tags (6/pack).
S1030E410	Aircraft Lockout Kit. Contains: 12 - Steel Shackle Padlocks; 1 - S2029 Power Receptacle Lockout; 12 - Circuit Breaker Lockouts; 2 - S4529 Tags (6/pack).



S1029E406



S1030E410

## Aviation Lockout Program

Comply with FAA Order  
3900.19B and OSHA  
1910.147.



## Compact Lockout Pouches

### Electrical Padlocks and Devices Stored for Convenience

- ▶ Compact, convenient design
- ▶ Velcro straps on back allow pouch to be easily applied to or removed from a belt
- ▶ Straps also serve as breakaway feature in the event the pouch is caught in machinery, protecting the employee

Master Lock Model #				Description
410RED Zenex™ Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	
S1010E410	S1010E1106	S1010E3	S1010	<b>Electrical Lockout Focus.</b> Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 pcs – 493B, 1 pc – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12/pack).

## Lockout Kits

The Master Lock Lockout Kits combine and organize commonly used electrical and valve lockout devices for individuals or groups of workers



S1010E1106



S1010E410

### CHOOSE THE PADLOCKS FOR YOUR NEEDS.

#### Master Lock Zenex™ Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



**AMERICAN LOCK Anodized Aluminum Padlocks** Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.



**Master Lock Steel Padlocks** Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.



Custom Assortments of Padlocks & Devices Also Available-See Page 26

## Personal Lockout Pouches

### Padlocks and Devices for Individual Workers

- ▶ Zippered pouch is easy to carry or wear with adjustable waist strap
- ▶ Choice of three padlock styles: Lightweight, designed-for-safety Zenex™, anodized Aluminum, or durable laminated Steel padlocks
- ▶ Two standard assortment kits available, one designed with an electrical lockout focus, the other for general maintenance
- ▶ Personal Lockout Pouches are for an individual worker; padlocks are supplied keyed-alike for added worker convenience

Master Lock Model #				Description
410RED Zenex™ Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	
1456E410	1456E1106	1456E3	1456	<b>Electrical Lockout Focus.</b> Contains: 1 – Padlock; 1 – 7C5RED Breaker Switch Padlock; 1 – 420 Hasp; 2 pcs – 493B, 1 pc – 491B Circuit Breaker Lockouts; 1 – 497A Tags (12/pack).
1456P410KA	1456P1106KA	1456P3KA		<b>Padlocks &amp; Tags.</b> Contains: 3 – Padlocks Keyed Alike; 1 – 420 Hasp; 1 – 497A Tags (12/pack).



1456P3KA



1456E410

# Personal Ultra-Durable Lockout Kits

## Electrical, Valve and Combined Lockout/Tagout Toolboxes

- Upgraded safety lockout toolbox keeps important lockout devices and padlocks together
- Kits include high-use components, satisfying most lockout applications
- Personal kits are for an individual worker; padlocks are supplied **keyed-alike** for added worker convenience

Master Lock Model #				Description
410RED Zenex™ Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	
1457E410KA	1457E1106KA	1457E3KA	S1017*	<b>Electrical Lockout Focus.</b> Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 2 pc – 491B, 3 pc – 493B Circuit Breaker Lockouts; 1 pc – 496B Wall Switch Cover; 1 – 497A Tags (12/pack).
1457V410KA	1457V1106KA	1457V3KA		<b>Valve Lockout Focus.</b> Contains: 3 Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – 497A Tags (12/pack).
1457VE410KA	1457VE1106KA	1457VE3KA		<b>Electrical &amp; Valve Lockout Focus.</b> Contains: 3 – Padlocks; 1 – 7C5RED Circuit Breaker Padlock; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 pc – 491B, 3 pc – 493B Circuit Breaker Lockouts; 1 pc – 496B Wall Switch Cover; 1 – 497A Tags (12/pack).

\*Unfilled toolboxes also available in 20" (S1020) and 23" (S1023)

1457E410KA



1457VE3KA



# Group Lockout Kits

## Modular Lockout/Tagout Organizers

- Lightweight safety lockout carrying case, 15"W x 9-1/2"D x 7"D, with modular, translucent storage compartments for improved organization and fast component selection
- Kits include high-use components, satisfying most applications
- Separate compartments for effective grouping of (1) padlocks & hasps, (2) valve lockout & (3) electrical lockout components
- Group kits are for multiple workers; padlocks are supplied **keyed-different**, so that no unwanted key interchange occurs
- **LifeGuard** safety padlock key charting system available at no charge. Visit [www.masterlocksafety.com](http://www.masterlocksafety.com) for details.

Master Lock Model #				Description
410RED Zenex™ Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Unfilled	
1458E410	1458E1106	1458E3	1458	<b>Electrical Lockout Focus.</b> Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 4 pcs – 493B, 2 pcs – 491B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack).
1458V410	1458V1106	1458V3		<b>Valve Lockout Focus.</b> Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack).
1458VE410	1458VE1106	1458VE3		<b>Electrical &amp; Valve Lockout Focus.</b> Contains: 6 – Padlocks; 2 – 7C5RED Breaker Switch Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 487 & 1 – 488 Plug Covers; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Covers; 6 – 493B, 3 pcs – 491B Circuit Breaker Lockouts; 2 – 496B Wall Switch Covers; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack); .



1458VE410

\* Provided that your Registered System Number is included on all future orders.

## Padlock Stations

***Virtually Indestructible, the Strongest Stations Available***

- ▶ Integrated, one-piece molded construction eliminates loose parts
- ▶ Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations
- ▶ Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- ▶ Exclusive translucent cover protects contents
  - Lockable to prevent loss of valuable safety lockout padlocks. Recommend using a combination lock for simple access control.
  - Innovative hinge holds cover open for easy product selection
- ▶ Available with your choice of Zenex™, Aluminum or Steel padlocks in 4, 10 or 20 lock formats
- ▶ Safety Hasps and Tags included
- ▶ **LifeGuard** safety padlock key charting system available at no charge. Visit [www.masterlocksafety.com](http://www.masterlocksafety.com) for details.



1482BP410



1484BP1106FRC  
(175 Padlock available separately)



1483BP3ES

## Padlock Stations

These durable, user-friendly lockout stations provide a central location for lockout padlocks, tags and hasps.

### CHOOSE THE PADLOCKS FOR YOUR NEEDS.

#### Master Lock Zenex™ Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.



**AMERICAN LOCK Anodized Aluminum Padlocks** Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.



#### Master Lock Steel Padlocks

Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.



**Custom Assortments of Padlocks & Devices Also Available-See Page 26**

Master Lock Model #				Description	Size (H x W x D)
410RED Zenex™ Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	Base and Cover (Unfilled)		
1482BP410	1482BP1106	1482BP3	1482B	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497A Tags (12/pk)	12-1/4 x 16 x 1-3/4
1483BP410	1483BP1106	1483BP3	1483B	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497A Tags (12/pk)	15-1/2 x 22 x 1-3/4
1484BP410	1484BP1106	1484BP3	1484B	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497A Tags (12/pk)	22 x 22 x 1-3/4
<b>English/Spanish Stations</b>					
1482BP410ES	1482BP1106ES	1482BP3ES	1482BES	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497AX Tags (12/pk).	12-1/4 x 16 x 1-3/4
1483BP410ES	1483BP1106ES	1483BP3ES	1483BES	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497AX Tags (12/pk)	15-1/2 x 22 x 1-3/4
1484BP410ES	1484BP1106ES	1484BP3ES	1484BES	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497AX Tags (12/pk).	22 x 22 x 1-3/4
<b>English/French Stations</b>					
1482BP-410FRC	1482BP-1106FRC	1482BP-3FRC	1482BFRC	4-Lock Station. Contains 4 – Padlocks; 2 – 420 Hasps; 1 – 497ABLC Tags (12/pk).	12-1/4 x 16 x 1-3/4
1483BP-410FRC	1483BP-1106FRC	1483BP-3FRC	1483BFRC	10-Lock Station. Contains 10 – Padlocks; 2 – 420 Hasps; 2 – 497ABLC Tags (12/pk)	15-1/2 x 22 x 1-3/4
1484BP-410FRC	1484BP-1106FRC	1484BP-3FRC	1484BFRC	20-Lock Station. Contains 20 – Padlocks; 4 – 420 Hasps; 4 – 497ABLC Tags (12/pk).	22 x 22 x 1-3/4

\* Provided that your Registered System Number is included on all future orders.





S1745E410

## Compact Stations

Our padlock racks and lockout stations are ideal for positioning machine-specific lockout devices, tags and padlocks near the lockout point.

## Heavy-Duty Padlock Racks

- ▶ Heavy gauge steel with durable powder coat finish ensure long life
- ▶ Includes labels in English, Spanish/English, and French/English

Master Lock Model #	Description
S1506	6.25" wide x 3" tall x 1.5" deep. Holds 6-8 padlocks.
S1518	17.5" wide x 3" tall x 1.5" deep. Holds 18-22 padlocks.



S1506



S1518



## Compact Lockout Stations

**Compact Lockout Station Holds Machine Specific Lockout Devices and Padlocks Near Lockout Point**

- ▶ Durable construction for years of use in corrosive environments
- ▶ 4 hanger clips for safety padlocks or hasps
- ▶ Includes face labels in English, Spanish/English or French/English
- ▶ Available filled or unfilled
- ▶ Filled centers available with your choice of Zenex™, Aluminum or Steel Safety Padlocks
- ▶ Measures 9-3/4" tall x 7-3/4" wide x 3-3/8" deep
- ▶ Bin measures 6-1/2" wide x 2-7/8" tall x 2-7/8" deep




S1745E410

Master Lock Model #				Description
410RED Zenex™ Padlock(s)	A1106RED Aluminum Padlock(s)	3 Red Steel Padlock(s)	(Unfilled)	
S1705P410	S1705P1106	S1705P3	S1700	Contains: 1 – padlock, 1 – 421 hasp and 2 – tags
S1720E410	S1720E1106	S1720E3	S1700	Contains: 2 – padlocks, 4 – tags, 2 – 491B and 2 – 493B circuit breaker lockouts
S1745E410	S1745E1106	S1745E3	S1700	Contains: 1 – padlock, 1 – 488 plug lockout, and 1 – tag

S1700



S1705P410



S1720E410  
(Hasps available separately)



# Deluxe Lockout Station

## Large Capacity Lockout Station Holds Departmental Lockout Needs

- ▶ Durable construction ensures long life in your facility
- ▶ Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control.
- ▶ 16 hanger clips hold 2 padlocks or lockout hasps each
- ▶ Covered compartments protect devices and keep dust and grime out
- ▶ Moveable dividers in top and bottom trays help organize devices
- ▶ Holes provided along bottom for optional peg hook hangers. Use to hang large, bulky devices.
- ▶ Available filled or unfilled
- ▶ Upper unit ideal for larger lockout devices and padlocks. Lower unit ideal for tags and smaller lockout devices.
- ▶ Lower unit has two tip-out drawers. Each measures 10" wide x 6-7/8" high x 3-1/4" deep.
  - Dividers included to create 2, 3, 4, 5 or 6 compartments
  - Each compartment holds 25 tags. Total capacity of lower unit is 150 tags.
- ▶ Measures 26-1/2" high x 22" wide x 4-1/8" deep
- ▶ **LifeGuard** safety padlock key charting system available at no charge. See page 3 for details.

Master Lock Model #				Description
410RED Zenex™ Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	(Unfilled)	
S1900VE410	S1900VE1106	S1900VE3	S1900	Contains: 6 – Padlocks; 2 – 420 Hasps; 1 – 427 Snap-On Hasp; 1 – S806 Adjustable Cable Lockout; 1 – 480, 1 – 481, 1 – 482 & 1 – 483 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 6 – 493B Circuit Breaker Lockouts; 2 pcs – 496B Wall Switch Covers; 2 – 497A Tags (12/pack). Space for additional padlocks or lockout devices as desired.
Bilingual Stations				
S1900VE410ES	S1900VE1106ES	S1900VE3ES	S1900ES	English/Spanish Station: Standard VE Assortment; 2 – 497AX English/Spanish Tags replace 497A's
S1900VE410FRC	S1900VE1106FRC	S1900VE3FR	S1900FRC	English/French Station: Standard VE Assortment; 2 – 497ABLC English/French Tags replace 497A's

## Lockout Stations

These durable, user-friendly wall stations offer the ultimate storage space for large facilities or multiple departmental use.

### CHOOSE THE PADLOCKS FOR YOUR NEEDS.

#### Master Lock Zenex™ Padlocks

Non-conductive, lightweight bodies with permanent write-on labels for worker identification. Key retaining feature ensures that padlocks are not left unlocked. Reserved-for-Safety, high security, 6-pin cylinder offers over 100,000 possible key changes.

**AMERICAN LOCK Anodized Aluminum Padlocks** Heavy duty padlocks feature a durable anodized finish. The 5-pin cylinder offers over 10,000 key changes to minimize risk of key number duplication within a facility.

**Master Lock Steel Padlocks** Durable, general security padlocks have reinforced laminated steel construction to withstand physical abuse and a 4-pin cylinder offering up to 1,400 key changes.

Custom Assortments of Padlocks & Devices Also Available-See Page 26




S1900VE410

Lockable Covers

Adjustable Dividers

Additional Storage on Top





# Lockout Station

## Lockout Station Holds Locks, Hasps and Devices

- ▶ Durable construction for years of use in corrosive environments
- ▶ Top and bottom compartments each have 5 moveable dividers for organizing devices
- ▶ 8 Hanger clips hold 2 padlocks or lockout hasps each
- ▶ Holes provided inside and along bottom for optional peghook hanger clips. Allows you to organize further. Large devices can be hung below.
- ▶ Cover protects padlocks and devices from dust and grime
- ▶ Lockable. Use combination padlock to limit access to authorized employees.
- ▶ Measures 15-1/2" high x 22" wide x 4-1/8" deep
- ▶ Available with Electrical or Valve Lockout Focus. Includes most commonly required lockout devices.
- ▶ Available filled or unfilled.
- ▶ **LifeGuard** safety padlock key charting system available at no charge. See page 3 for details.

Master Lock Model #				Description
410RED Zenex™ Padlock(s)	A1106RED Aluminum Padlock(s)	3RED Steel Padlock(s)	(Unfilled)	
S1850E410	S1850E1106	S1850E3	S1850	Electrical Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – S2005 Compact Plug Prong Lockout; 1 – 488 Plug Cover; 2 – 491B, 4 – 493B Circuit Breaker Lockouts; 2 – 496B Wall Switch Covers; 2 – 497A Tags (12/pack).
S1850V410	S1850V1106	S1850V3		Valve Lockout Focus. Contains: 6 – Padlocks; 1 – 420 Hasp; 1 – 427 Snap-On Hasp; 1 – 480, 1 – 481 & 1 – 482 Gate Valve Lockouts; 1 – 468L & 1 – S3068 Ball Valve Lockouts; 2 – 497A Tags (12/pack).
Bilingual Stations				
S1850E410ES	S1850E1106ES	S1850E3ES	S1850ES	English/Spanish Station; S1850 Electrical Assortment – English/Spanish 497AX Tags replace 497A's
S1850V410ES	S1850V1106ES	S1850V3ES		English/Spanish Station; S1850 Valve Assortment – English/Spanish 497AX Tags replace 497A's
S1850E410FRC	S1850E1106FRC	S1850E3FRC	S1850FRC	English/French Station; S1850 Electrical Assortment – English/French 497ABLC Tags replace 497A's
S1850V410FRC	S1850V1106FRC	S1850V3FRC		English/French Station; S1850 Valve Assortment – English/French 497ABLC Tags replace 497A's



S1850V3



S1850E410ES

# Deluxe Tag Center

## Deluxe Tag/Lockout Center Holds Multiple Groups of Tags

- ▶ Durable construction for years of use in corrosive environments
- ▶ Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- ▶ 8 hanger clips along bottom hold safety padlocks or hasps
- ▶ Each compartment holds 25 tags. 150 tag capacity
- ▶ Compartments can be used for lockout devices too
- ▶ Each tip-out drawer measures 10" wide x 6-7/8" tall x 3-1/4" deep inside
- ▶ Upper tray for zip ties and small lockout devices
- ▶ Lockable. Use combination padlock to limit access to authorized employees
- ▶ Also suitable for ear plugs and eyewear



S1800

Master Lock Model #	Description	Dimensions (H x W x D)
S1800	Tag Center (unfilled)	11" x 22" x 4-1/8"



## Custom Lockout Kits & Stations

### *Tailor the Mix of Master Lock Lockout Products for Your Safety Requirements*

You can determine the mix of Master Lock lockout products for your unique safety requirements in **2 Easy Steps!** Master Lock then packs each kit or station.

- **1. Choose an assortment of Master Lock padlocks, lockout devices, and tags to satisfy specific employee needs**



**ALL padlock models and lockout devices are available!**

- **2. Choose any portable lockout kit or wall-mount station to store your newly selected assortment.**



- Custom kits and stations are priced at the total of all components - padlocks, devices, tags, and the kit.
- Customers, please contact your preferred Master Lock Distributor to specify the contents of your kits. Distributors, contact Master Lock Safety Specialists at 800-944-1380 to process the order.
- Minimums apply. Laser Engraving and Guardian Extreme™ products excluded.

## Custom Lockout Kits & Stations

Select your own unique assortment of safety padlocks, lockout devices, tags, and the kit or station that meets your needs.

## “DO NOT OPERATE” Safety Tags

**Laminated Tags Comply with OSHA Lockout/Tagout Standard**

- ▶ Durable polyester laminate resists water, grease and extreme temperatures
- ▶ Heavy duty construction withstands over 50 lbs. of pullout force (meets OSHA requirement); prevents accidental removal
- ▶ Write-on name, department, expected completion
- ▶ 7/16" dia. brass grommet accepts all safety padlocks
- ▶ Single language and bilingual tag options
- ▶ Tags available in other languages; call for details



Master Lock Model #	Description	Dimensions (H x W)
497A	English, 1 bag of 12 tags with ties	5-3/4" x 3-1/8"
497AX	Spanish/English 1 bag of 12 tags with ties	5-3/4" x 3-1/8"
497ABLC	French/English 1 bag of 12 tags with ties	5-3/4" x 3-1/8"

## “DO NOT OPERATE” Self Laminating Photo ID Safety Tags

**Provides a Visual Representation of the Affected Employee**

- ▶ Durable Polypropylene with PVC laminate overlay resists water, grease, extreme temperatures, and common industrial chemicals
- ▶ Heavy duty construction withstands over 50 lbs. of pullout force (meets OSHA requirement); prevents accidental removal
- ▶ 3/8" diameter brass grommet accepts all safety padlocks and hasps
- ▶ Customize with name, department, and employee specific photo ID
- ▶ Single language and bilingual tag options



Master Lock Model #	Description	Dimensions (H x W)
S4800LEN	English with European Danger Symbol, 1 bag of 12 tags with ties	5-4/5" x 3-1/5"
S4800LES	Spanish with European Danger Symbol, 1 bag of 12 tags with ties	
S4800LFR	French with European Danger Symbol, 1 bag of 12 tags with ties	
S4801	English, 1 bag of 12 tags with ties	
S4801LFRLN	Bilingual English/French, 1 bag of 12 tags with ties	
S4801LESLE	Bilingual English/Spanish, 1 bag of 12 tags with ties	
S4802LEN	English with U.K. Prohibition Symbol, 1 bag of 12 tags with ties	



## Safety Tags

Identification tags are key components to any safety lockout program. Master Lock offers write-on tags in English, Spanish and French to accommodate employee needs.

## "DO NOT OPERATE" Roll of Tags

### Roll of disposable Safety tags stored in portable box for convenience

- ▶ Roll of tags in portable dispenser box makes organization and transportation easy – Box dimensions: 7-7/8" x 4-1/4" x 4-1/4" (200mm x 108mm x 108mm)
- ▶ 3/8" (9.5mm) diameter reinforced opening to accept all safety padlock shackles
- ▶ 6" x 3" (152mm x 76mm) tag with "DO NOT OPERATE" message
- ▶ Made of durable polypropylene material for chemical resistance
- ▶ Can be marked with pencil, pen, and permanent marker
- ▶ Available in 4 languages – English, Spanish, French, and Portuguese



S4810



S4810LES



S4810LFR

Master Lock Model #	Description	Dimensions (H x W)
S4810	English, 1 roll of 100 tags	6" x 3"
S4810LES	Spanish, 1 roll of 100 tags	
S4810LFR	French with European Danger Symbol, 1 roll of 100 tags	
S4810LPT	Portuguese, 1 roll of 100 tags	
S4810LENUK	English with European Danger Symbol, 1 roll of 100 tags	



S4810LPT



S4810LENUK

## Maintenance Lockout Tags

### Disposable Safety tags for temporary lockout

- ▶ Compact size allows for application in virtually any area
- ▶ Durable laminated material withstands extreme environments
- ▶ Attach with your personal padlock - hassle free, no zip tie needed
- ▶ Accepts up to 9/32" (7mm) shackle diameter
- ▶ Can be marked with pencil, pen, and permanent marker
- ▶ Complies with OSHA standards
- ▶ Available in 4 languages – English, Spanish, French, and Portuguese



S297



S297LES



S297LFR

Master Lock Model #	Description	Dimensions (H x W)
S297	English, 1 bag of 100	1-1/4" x 5-1/2"
S297LES	Spanish, 1 bag of 100	
S297LFR	French with European Danger Symbol, 1 bag of 100	
S297LPT	Portuguese, 1 bag of 100	
S297LENUK	English, with European Danger Symbol, 1 bag of 100	



S297LPT




S297LENUK



## Guardian Extreme™ Safety Signs & Tags

Our process permanently fuses the safety message into rugged, industrial grade polypropylene, creating the longest lasting signs and tags available. These graphics remain vibrant and clear for years – even when exposed to high humidity, UV radiation, harsh chemicals, frequent wash downs, extreme high and low temperatures and more.

Metal detectable versions available for use in food processing and pharmaceutical facilities.



## Guardian Extreme™ Safety Signs & Tags

Make sure your safety message is clearly visible for years and years with Guardian Extreme signs and tags



## Environmentally Friendly is Business Friendly

Guardian Extreme lifetime tags and signs withstand tough environments and abuse eliminating the cost of replacement.

### Rewrite-Reuse

*Modify the message as often as needed*

Guardian Extreme signs and tags provide the ultimate flexibility. You add the exact safety message for the job with permanent marker, erase it when the work is complete and repurpose it for the next job.



*Wipe off current message with Isopropyl Alcohol*



*Cleaned tag ready for next message - write new message with permanent marker*



*A brand new message is ready for the next project*

### Reduce

#### Durable

- ▶ Guardian Extreme tags hang tough to exceed OSHA requirement that tags meet 50 lbs pull strength.
- ▶ Guardian Extreme tags withstand **over 90 lbs pull force**.
- ▶ Other paper or plastic tags, with grommets or without – only reach 10 – 50 lbs pull strength.



#### More tags in less space

- ▶ Guardian Extreme tags stack flat in kits and stations, remaining neat and organized when stored.



#### Corrosion free

- ▶ Guardian Extreme tags have no grommet to corrode.



# Guardian Extreme™ The longest lasting signs and tags – ever!



## Survive Washdowns and Humidity

Graphics are fused to the rugged polypropylene at over 300 degrees. There are no edges to peel or curl. No layers to delaminate and separate. Your safety message remains intact... Ideal for food processing facilities, mining, chemical plants, refineries, paper mills and outdoors. Great for anyone who would like your maintenance team spending their time doing something other than replacing signs throughout your facility and grounds.



## Superior Chemical Resistance

Tested and proven to stand up to over 30 harsh chemicals found in your facility.

Acetone  
Aliphatic solvents  
Ammonia  
Anionic surfactants  
2-Butoxyethanol  
Benzene  
Benzyl ammonium chloride  
Butanol  
Chlorinated alkaline cleaners  
Chlorine bleach  
Cryogenic liquids  
Dimethyl benzyl ammonium chloride

Ethylene oxide  
Formaldehyde  
Glycol  
Glycol ether solvents  
Hydrochloric acid  
Isopropanol  
Ketone  
Methanol  
Methyl polysilicone  
Mineral oil  
Naphtha  
Phosphoric acid  
Potassium hydroxide



## Superior Outdoor Performance

The graphics remain bright and clear. Guardian Extreme signs and tags withstood over 4000 hrs of brutal QUV testing, the equivalent to ten years of outdoor exposure. When other signs and tags faded, cracked and yellowed, Guardian Extreme signs and tags stood strong

## You have better things to do than replace worn out signs and tags

*An illegible safety message is hardly better than no message at all.*



**Cracked Fiberglass**



**Delaminated Metal**



**Faded Screen-Printed Plastic**

Master Lock Guardian Extreme Tags and Signs help to ensure that you:

- Keep employees safe
- Maintain OSHA compliant signage and procedures throughout your facility
- Minimize maintenance crews' efforts and maximize production up time
- Optimize your budget and time

Guardian Extreme Signs and Tags help keep you focused on these responsibilities. These safety signs and tags are engineered to withstand the most demanding conditions – indoors or out, while lasting a lifetime.



**Durable Polypropylene**



**Vivid, Fade-Resistant Colors**

# Guardian Extreme™ Custom Signs & Tags

Long lasting Guardian Extreme™ tags and signs can be customized to enhance your safety message. Our patent pending process allows you to add full color graphics, photos, custom text, alternate languages, diagrams, maps, company logos and more. If you can design it, we can imbed the graphics into the sign or tag when we mold it.

For preconfigured and blank templates, visit [www.masterlocksafety.com](http://www.masterlocksafety.com). You will also find guidance on designing your custom tags and signs and how to order them.


- Full Color Photography
- Custom Graphics
- Maps and Diagrams
- Photo ID labels
- Custom Text. In any language.
- Company Logos

## Custom Graphics

Exclusively with Guardian Extreme™ signs and tags – no limits to your custom graphics. We can use any image you can create, any graphic, color photo, drawing, text, language, map, barcodes, and fuse it in durable polypropylene.



Custom Artwork  
and Icons



Maps and Diagrams



Full Color  
Photography



Custom Text. In any language.



Photo ID



Company Logos



# Guardian Extreme™ Caution Signs



**S5000** (7 X 10)  
**S5001** (10 X 14)  
**S5002** (14 X 20)



**S5050** (7 X 10)  
**S5051** (10 X 14)  
**S5052** (14 X 20)



**S5250** (7 X 10)  
**S5251** (10 X 14)  
**S5252** (14 X 20)



**S5400** (7 X 10)  
**S5401** (10 X 14)  
**S5402** (14 X 20)



**S5500** (7 X 10)  
**S5501** (10 X 14)  
**S5502** (14 X 20)



**S5550** (7 X 10)  
**S5551** (10 X 14)  
**S5552** (14 X 20)



**S5750** (7 X 10)  
**S5751** (10 X 14)  
**S5752** (14 X 20)



**S5800** (7 X 10)  
**S5801** (10 X 14)  
**S5802** (14 X 20)



**S5850** (7 X 10)  
**S5851** (10 X 14)  
**S5852** (14 X 20)



**S5900** (7 X 10)  
**S5901** (10 X 14)  
**S5902** (14 X 20)



**S6150** (7 X 10)  
**S6151** (10 X 14)  
**S6152** (14 X 20)



**S6300** (7 X 10)  
**S6301** (10 X 14)  
**S6302** (14 X 20)



**S6350** (7 X 10)  
**S6351** (10 X 14)  
**S6352** (14 X 20)



**S6450** (7 X 10)  
**S6451** (10 X 14)  
**S6452** (14 X 20)



**S6500** (7 X 10)  
**S6501** (10 X 14)  
**S6502** (14 X 20)



**S6550** (7 X 10)  
**S6551** (10 X 14)  
**S6552** (14 X 20)



**S6700** (7 X 10)  
**S6701** (10 X 14)  
**S6702** (14 X 20)



**S6900** (7 X 10)  
**S6901** (10 X 14)  
**S6902** (14 X 20)



**S6950** (7 X 10)  
**S6951** (10 X 14)  
**S6952** (14 X 20)



**S7000** (7 X 10)  
**S7001** (10 X 14)  
**S7002** (14 X 20)



**S7100** (7 X 10)  
**S7101** (10 X 14)  
**S7102** (14 X 20)



**S7150** (7 X 10)  
**S7151** (10 X 14)  
**S7152** (14 X 20)



**S7200** (7 X 10)  
**S7201** (10 X 14)  
**S7202** (14 X 20)



**S7400** (7 X 10)  
**S7401** (10 X 14)  
**S7402** (14 X 20)



**S7450** (7 X 10)  
**S7451** (10 X 14)  
**S7452** (14 X 20)

# Guardian Extreme™ Caution Signs



**S7500** (7 X 10)  
**S7501** (10 X 14)  
**S7502** (14 X 20)



**S7550** (7 X 10)  
**S7551** (10 X 14)  
**S7552** (14 X 20)



**S7650** (7 X 10)  
**S7651** (10 X 14)  
**S7652** (14 X 20)



**S7700** (7 X 10)  
**S7701** (10 X 14)  
**S7702** (14 X 20)



**S7950** (7 X 10)  
**S7951** (10 X 14)  
**S7952** (14 X 20)



**S8050** (7 X 10)  
**S8051** (10 X 14)  
**S8052** (14 X 20)



**S8100** (7 X 10)  
**S8101** (10 X 14)  
**S8102** (14 X 20)



**S8300** (7 X 10)  
**S8301** (10 X 14)  
**S8302** (14 X 20)



**S8350** (7 X 10)  
**S8351** (10 X 14)  
**S8352** (14 X 20)



**S8600** (7 X 10)  
**S8601** (10 X 14)  
**S8602** (14 X 20)



**S8700** (7 X 10)  
**S8701** (10 X 14)  
**S8702** (14 X 20)




**S8750** (7 X 10)  
**S8751** (10 X 14)  
**S8752** (14 X 20)



**S8800** (7 X 10)  
**S8801** (10 X 14)  
**S8802** (14 X 20)



**S8900** (7 X 10)  
**S8901** (10 X 14)  
**S8902** (14 X 20)



**S8950** (7 X 10)  
**S8951** (10 X 14)  
**S8952** (14 X 20)



**S9100** (7 X 10)  
**S9101** (10 X 14)  
**S9102** (14 X 20)



**S9200** (7 X 10)  
**S9201** (10 X 14)  
**S9202** (14 X 20)



**S9350** (7 X 10)  
**S9351** (10 X 14)  
**S9352** (14 X 20)



**S9400** (7 X 10)  
**S9401** (10 X 14)  
**S9402** (14 X 20)



**S9450** (7 X 10)  
**S9451** (10 X 14)  
**S9452** (14 X 20)



**S9500** (7 X 10)  
**S9501** (10 X 14)  
**S9502** (14 X 20)



**S9550** (7 X 10)  
**S9551** (10 X 14)  
**S9552** (14 X 20)



**S9600** (7 X 10)  
**S9601** (10 X 14)  
**S9602** (14 X 20)



**S9650** (7 X 10)  
**S9651** (10 X 14)  
**S9652** (14 X 20)



**S9800** (7 X 10)  
**S9801** (10 X 14)  
**S9802** (14 X 20)

# Guardian Extreme™ Caution & Danger Signs



**S9850** (7 X 10)  
**S9851** (10 X 14)  
**S9852** (14 X 20)




**S9900** (7 X 10)  
**S9901** (10 X 14)  
**S9902** (14 X 20)



**S9950** (7 X 10)  
**S9951** (10 X 14)  
**S9952** (14 X 20)



**S10000** (7 X 10)  
**S10001** (10 X 14)  
**S10002** (14 X 20)



**S10050** (7 X 10)  
**S10051** (10 X 14)  
**S10052** (14 X 20)



**S10150** (7 X 10)  
**S10151** (10 X 14)  
**S10152** (14 X 20)



**S10300** (7 X 10)  
**S10301** (10 X 14)  
**S10302** (14 X 20)



**S10550** (7 X 10)  
**S10551** (10 X 14)  
**S10552** (14 X 20)



**S10800** (7 X 10)  
**S10801** (10 X 14)  
**S10802** (14 X 20)



**S10950** (7 X 10)  
**S10951** (10 X 14)  
**S10952** (14 X 20)



**S11000** (7 X 10)  
**S11001** (10 X 14)  
**S11002** (14 X 20)



**S11100** (7 X 10)  
**S11101** (10 X 14)  
**S11102** (14 X 20)



**S11250** (7 X 10)  
**S11251** (10 X 14)  
**S11252** (14 X 20)



**S11350** (7 X 10)  
**S11351** (10 X 14)  
**S11352** (14 X 20)



**S11450** (7 X 10)  
**S11451** (10 X 14)  
**S11452** (14 X 20)



**S11550** (7 X 10)  
**S11551** (10 X 14)  
**S11552** (14 X 20)



**S11700** (7 X 10)  
**S11701** (10 X 14)  
**S11702** (14 X 20)



**S11900** (7 X 10)  
**S11901** (10 X 14)  
**S11902** (14 X 20)



**S12300** (7 X 10)  
**S12301** (10 X 14)  
**S12302** (14 X 20)



**S12350** (7 X 10)  
**S12351** (10 X 14)  
**S12352** (14 X 20)



**S12400** (7 X 10)  
**S12401** (10 X 14)  
**S12402** (14 X 20)



**S12600** (7 X 10)  
**S12601** (10 X 14)  
**S12602** (14 X 20)



**S12850** (7 X 10)  
**S12851** (10 X 14)  
**S12852** (14 X 20)



# Guardian Extreme™ Danger Signs



**S12900** (7 X 10)  
**S12901** (10 X 14)  
**S12902** (14 X 20)



**S12950** (7 X 10)  
**S12951** (10 X 14)  
**S12952** (14 X 20)



**S13200** (7 X 10)  
**S13201** (10 X 14)  
**S13202** (14 X 20)



**S13300** (7 X 10)  
**S13301** (10 X 14)  
**S13302** (14 X 20)



**S13650** (7 X 10)  
**S13651** (10 X 14)  
**S13652** (14 X 20)



**S13900** (7 X 10)  
**S13901** (10 X 14)  
**S13902** (14 X 20)



**S14000** (7 X 10)  
**S14001** (10 X 14)  
**S14002** (14 X 20)



**S14100** (7 X 10)  
**S14101** (10 X 14)  
**S14102** (14 X 20)



**S14200** (7 X 10)  
**S14201** (10 X 14)  
**S14202** (14 X 20)



**S14250** (7 X 10)  
**S14251** (10 X 14)  
**S14252** (14 X 20)



**S14300** (7 X 10)  
**S14301** (10 X 14)  
**S14302** (14 X 20)



**S14350** (7 X 10)  
**S14351** (10 X 14)  
**S14352** (14 X 20)



**S14450** (7 X 10)  
**S14451** (10 X 14)  
**S14452** (14 X 20)



**S14500** (7 X 10)  
**S14501** (10 X 14)  
**S14502** (14 X 20)



**S14600** (7 X 10)  
**S14601** (10 X 14)  
**S14602** (14 X 20)



**S14900** (7 X 10)  
**S14901** (10 X 14)  
**S14902** (14 X 20)




**S15100** (7 X 10)  
**S15101** (10 X 14)  
**S15102** (14 X 20)



**S15250** (7 X 10)  
**S15251** (10 X 14)  
**S15252** (14 X 20)



**S15350** (7 X 10)  
**S15351** (10 X 14)  
**S15352** (14 X 20)



**S15400** (7 X 10)  
**S15401** (10 X 14)  
**S15402** (14 X 20)



**S15500** (7 X 10)  
**S15501** (10 X 14)  
**S15502** (14 X 20)



**S15800** (7 X 10)  
**S15801** (10 X 14)  
**S15802** (14 X 20)



**S16000** (7 X 10)  
**S16001** (10 X 14)  
**S16002** (14 X 20)



**S16150** (7 X 10)  
**S16151** (10 X 14)  
**S16152** (14 X 20)



**S16250** (7 X 10)  
**S16251** (10 X 14)  
**S16252** (14 X 20)

# Guardian Extreme™ Danger Signs



**S16500** (7 X 10)  
**S16501** (10 X 14)  
**S16502** (14 X 20)



**S16650** (7 X 10)  
**S16651** (10 X 14)  
**S16652** (14 X 20)



**S16800** (7 X 10)  
**S16801** (10 X 14)  
**S16802** (14 X 20)



**S17050** (7 X 10)  
**S17051** (10 X 14)  
**S17052** (14 X 20)



**S17350** (7 X 10)  
**S17351** (10 X 14)  
**S17352** (14 X 20)



**S17500** (7 X 10)  
**S17501** (10 X 14)  
**S17502** (14 X 20)



**S17550** (7 X 10)  
**S17551** (10 X 14)  
**S17552** (14 X 20)



**S17600** (7 X 10)  
**S17601** (10 X 14)  
**S17602** (14 X 20)



**S17800** (7 X 10)  
**S17801** (10 X 14)  
**S17802** (14 X 20)



**S17850** (7 X 10)  
**S17851** (10 X 14)  
**S17852** (14 X 20)



**S17900** (7 X 10)  
**S17901** (10 X 14)  
**S17902** (14 X 20)



**S18200** (7 X 10)  
**S18201** (10 X 14)  
**S18202** (14 X 20)



**S18300** (7 X 10)  
**S18301** (10 X 14)  
**S18302** (14 X 20)



**S18400** (7 X 10)  
**S18401** (10 X 14)  
**S18402** (14 X 20)



**S18450** (7 X 10)  
**S18451** (10 X 14)  
**S18452** (14 X 20)



**S18500** (7 X 10)  
**S18501** (10 X 14)  
**S18502** (14 X 20)



**S18750** (7 X 10)  
**S18751** (10 X 14)  
**S18752** (14 X 20)



**S18800** (7 X 10)  
**S18801** (10 X 14)  
**S18802** (14 X 20)



**S18850** (7 X 10)  
**S18851** (10 X 14)  
**S18852** (14 X 20)



**S19050** (7 X 10)  
**S19051** (10 X 14)  
**S19052** (14 X 20)



**S19100** (7 X 10)  
**S19101** (10 X 14)  
**S19102** (14 X 20)



**S19150** (7 X 10)  
**S19151** (10 X 14)  
**S19152** (14 X 20)



**S19250** (7 X 10)  
**S19251** (10 X 14)  
**S19252** (14 X 20)




**S19300** (7 X 10)  
**S19301** (10 X 14)  
**S19302** (14 X 20)



**S19400** (7 X 10)  
**S19401** (10 X 14)  
**S19402** (14 X 20)

# Guardian Extreme™ Notice Signs



**S20000** (7 X 10)  
**S20001** (10 X 14)  
**S20002** (14 X 20)



**S20200** (7 X 10)  
**S20201** (10 X 14)  
**S20202** (14 X 20)



**S20350** (7 X 10)  
**S20351** (10 X 14)  
**S20352** (14 X 20)



**S20500** (7 X 10)  
**S20501** (10 X 14)  
**S20502** (14 X 20)



**S21000** (7 X 10)  
**S21001** (10 X 14)  
**S21002** (14 X 20)



**S21100** (7 X 10)  
**S21101** (10 X 14)  
**S21102** (14 X 20)



**S21300** (7 X 10)  
**S21301** (10 X 14)  
**S21302** (14 X 20)



**S21500** (7 X 10)  
**S21501** (10 X 14)  
**S21502** (14 X 20)



**S21700** (7 X 10)  
**S21701** (10 X 14)  
**S21702** (14 X 20)



**S21850** (7 X 10)  
**S21851** (10 X 14)  
**S21852** (14 X 20)



**S21900** (7 X 10)  
**S21901** (10 X 14)  
**S21902** (14 X 20)



**S22000** (7 X 10)  
**S22001** (10 X 14)  
**S22002** (14 X 20)



**S22050** (7 X 10)  
**S22051** (10 X 14)  
**S22052** (14 X 20)



**S22150** (7 X 10)  
**S22151** (10 X 14)  
**S22152** (14 X 20)



**S22200** (7 X 10)  
**S22201** (10 X 14)  
**S22202** (14 X 20)



**S22350** (7 X 10)  
**S22351** (10 X 14)  
**S22352** (14 X 20)



**S22550** (7 X 10)  
**S22551** (10 X 14)  
**S22552** (14 X 20)




**S23200** (7 X 10)  
**S23201** (10 X 14)  
**S23202** (14 X 20)



**S23450** (7 X 10)  
**S23451** (10 X 14)  
**S23452** (14 X 20)




**S23650** (7 X 10)  
**S23651** (10 X 14)  
**S23652** (14 X 20)



**S23700** (7 X 10)  
**S23701** (10 X 14)  
**S23702** (14 X 20)



**S23800** (7 X 10)  
**S23801** (10 X 14)  
**S23802** (14 X 20)



**S21750** (7 X 10)  
**S21751** (10 X 14)  
**S21752** (14 X 20)



# Guardian Extreme™ Warning & Bilingual Signs



**S25000** (7 X 10)  
**S25001** (10 X 14)  
**S25002** (14 X 20)



**S25050** (7 X 10)  
**S25051** (10 X 14)  
**S25052** (14 X 20)



**S25400** (7 X 10)  
**S25401** (10 X 14)  
**S25402** (14 X 20)



**S25700** (7 X 10)  
**S25701** (10 X 14)  
**S25702** (14 X 20)



**S25800** (7 X 10)  
**S25801** (10 X 14)  
**S25802** (14 X 20)



**S26150** (7 X 10)  
**S26151** (10 X 14)  
**S26152** (14 X 20)



**S26650** (7 X 10)  
**S26651** (10 X 14)  
**S26652** (14 X 20)



**S26750** (7 X 10)  
**S26751** (10 X 14)  
**S26752** (14 X 20)



**S27100** (7 X 10)  
**S27101** (10 X 14)  
**S27102** (14 X 20)



**S27950** (7 X 10)  
**S27951** (10 X 14)  
**S27952** (14 X 20)



**S28300** (7 X 10)  
**S28301** (10 X 14)  
**S28302** (14 X 20)



**S28550** (7 X 10)  
**S28551** (10 X 14)  
**S28552** (14 X 20)

## Bilingual Signs



**S6051LESLEN**  
(14 X 10)



**S7501LESLEN**  
(14 X 10)



**S9651LESLEN**  
(14 X 10)




**S11101LESLEN**  
(14 X 10)



**S12401LESLEN**  
(14 X 10)



**S17351LESLEN**  
(14 X 10)



**S22551LESLEN**  
(14 X 10)



**S23751LESLEN**  
(14 X 10)

# Guardian Extreme™ Safety Tags 3" x 5-3/4" (Bag of 6)



S4002



S4002LESLEN



S4002LFRLEN



S4058



S4060  
(Yellow)



S4061



S4062  
(Orange)



S4004



S4015



S4016



S4017



S4018



S4019



S4020



S4021



S4022



S4023



S4050  
(Yellow)



S4057



S4006



S4007



S4031



S4032



S4047  
(Orange)




S4049  
(Yellow)

## Guardian Extreme™ Safety Tags 3" x 5-3/4" (Bag of 6)



## Lockout Isolation ID Tags 3" x 1-1/2"



## Scaffolding Tags 3" x 9"

Superior pull strength, durability, and reuseability eliminate the need for expensive tag holders





# Guardian Extreme™ Safety Tags 3" x 5-3/4" (Bag of 6)



S4053  
(Yellow)



S4046  
(Red)



S4003



S4024



S4025



S4011



S4027



S4029



S4030



S4028



S4026



S4033



S4036



S4039



S4044



S4045



S4013



S4014



S4009



S4008



S4034



S4001



S4055



S4056



S4038

# Guardian Extreme™ Metal Detectable Safety Tags 3" x 5-3/4" (Bag of 6)



S4002MT



S4002LESLENMT



S4002LFRLNMT



S4058MT



S4060MT  
(Yellow)



S4061MT



S4062MT  
(Orange)



S4004MT



S4015MT



S4016MT



S4017MT



S4018MT



S4019MT



S4020MT



S4021MT



S4022MT



S4023MT



S4050MT  
(Yellow)



S4057MT



S4006MT



S4007MT



S4031MT



S4032MT



S4047MT  
(Orange)



S4049MT  
(Yellow)



# Guardian Extreme™ Metal Detectable Safety Tags 3" x 5-3/4" (Bag of 6)



S4053MT  
(Yellow)



S4046MT  
(Red)



S4003MT



S4024MT



S4025MT



S4011MT



S4027MT



S4029MT



S4030MT



S4028MT



S4026MT



S4033MT



S4036MT



S4039MT



S4044MT



S4045MT



S4013MT



S4014MT



S4009MT



S4008MT



S4034MT



S4001MT



S4055MT



S4056MT



S4038MT



# Guardian Extreme™ Metal Detectable Safety Tags 3" x 5-3/4" (Bag of 6)



S4000MT



S4041MT



S4005MT



S4042MT



S4010MT



S4012MT



S4035MT



S4037MT



S4040MT



S4043MT



S4051MT  
(Yellow)



S4048MT  
(Orange)



S4052MT  
(Yellow)



S4054MT



Control Panel  
CP-1 to CP-20  
S4500CP1MT to  
S4500CP20MT



Electrical E-1  
to E20  
S4500E1MT to  
S4500E20MT



Gas G-1 to G-20  
S4500G1MT to  
S4500G20MT



Pneumatic P-1  
to P-20  
S4500P1MT to  
S4500P20MT




Steam S-1 to  
S-20  
S4500S1MT to  
S4500S20MT



Valve V-1 to  
V-20  
S4500V1MT to  
S4500V20MT



Water W-1 to  
W-20  
S4500W1MT to  
S4500W20MT



497A

## Safety Tag Stations

Convenient, compact dispensers for safety tags and/or storage for padlocks, hasps, devices and hearing protection.

## Deluxe Tag Center

*Deluxe Tag/Lockout Center Holds Multiple Groups of Tags*

- ▶ Durable construction for years of use in corrosive environments
- ▶ Two tip-out drawers with dividers to create 2, 3, 4, 5 or 6 compartments
- ▶ 8 hanger clips along bottom hold safety padlocks or hasps
- ▶ Each compartment holds 25 tags. 150 tag capacity
- ▶ Compartments can be used for lockout devices too
- ▶ Each tip-out drawer measures 10" wide x 6-7/8" tall x 3-1/4" deep inside
- ▶ Upper tray for zip ties and small lockout devices
- ▶ Lockable. Use combination padlock to limit access to authorized employees
- ▶ Also suitable for ear plugs and eyewear



S1800

Master Lock Model #	Description	Dimensions (H x W x D)
S1800	Tag Center (unfilled)	11" x 22" x 4-1/8"

## Compact Tag Stations

*Durable Tag Station Holds 18 Tags*

- ▶ Three hanger clips for safety padlocks or hasps
- ▶ Includes face labels in English, Spanish/English and French/English
- ▶ Patent pending

Master Lock Model #	Description	Dimensions (H x W x D)
S1601	Tag Station (unfilled)	7-3/4" x 5-3/4" x 1-1/2"
S1601A	Tag Station with 12 English Tags	
S1601AX	Tag Station with 12 Spanish/English Tags	
S1601FRC	Tag Station with 12 French/English Tags	



S1601AX  
Hasps and Locks  
available separately)

S1601

## Lockout / Tagout Procedure Training Cards

*For Employee Safety and OSHA Compliance*

- ▶ Demonstrates the 7 steps to properly apply, and 5 steps to re-energize from, Lockout/Tagout
- ▶ Provides instructions for maintaining Lockout/Tagout during shift changes
- ▶ Also suitable for employee-refresher training sessions

Master Lock Model #	Description
499PR	10 Lockout/Tagout Procedure Employee Reference Cards



[illegible]



**A number of Master Lock Products  
have been **UL Environment Verified**  
for recycled content.**

*UL Environment works to advance global sustainability by supporting the growth and development of environmentally preferable products, services and organizations.*



## **Commitment to the Environment**

### ***Reduce, Reuse and Recycle***

Master Lock is proud to do all three

#### **PROTECTING PEOPLE AND THE PLANET:**

Our Master Lock Safety padlocks use FDA compliant lubricants, which are safe for use in food processing facilities.

Additionally, Master Lock manufactures the majority of Safety padlock components in our ISO 9001 North American facilities.

Master Lock is committed to stewardship of the environment, to the people who make and use our safety products, and to the communities where they are made and used.

---

#### **REDUCE:**

Our Master Lock Safety Zenex™ padlock bodies are molded using a hot runner injection molding process that results in virtually no scrap material.

---

#### **REUSE:**

Precision engineering, durable materials and recommended padlock maintenance ensure all Master Lock Safety padlocks are long lasting.

---

#### **RECYCLE:**

Master Lock Safety padlocks use a high percentage of recycled metal. Steel shackles, brass keys and cylinders, as well as our aluminum lock bodies are all manufactured using recycled material.